


OPTIBELT

V-Belts, Kraftbands and Ribbed Belts — Product Range

کاتالوگ تسمه V و تسمه شیاردار Optibelt

استعلام قیمت و خرید تسمه Optibelt ←


BRAND برند	ORIGIN کشور سازنده	PRODUCTS محصولات	PAGES تعداد صفحات	LANGUAGE زبان
OPTIBELT	Germany	V-belts, ribbed belts	39	English

moharekcharkhesh.com
MoharekCharkhesh@proton.me


تأمین‌کننده تخصصی بلبرینگ و رولبرینگ
تهران، خیابان امیرکبیر، کوچه ناظم‌الاطبا شمالی، پاساژ تهران، طبقه سوم، پلاک ۱۴۲

021 3399 8121
021 3399 8100
0912 464 6470





Profiles:
SPZ, SPA, SPB, SPC



Profiles:
3V, 5V, 8V

optibelt SK S=C Plus

WEDGE BELTS
DIN 7753 Part 1 / ISO 4184 and RMA/MPTA





	SPZ	SPA	SPB	SPC	3V	5V	8V
Nominal length	Datum length L_d	Datum length L_d	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	mm	mm	in	in	in
Height of belt h [mm]	8.00	10.00	13.00	18.00	8.00	13.00	23.00
Width of belt b [mm]	9.70	12.70	16.30	22.00	9.00	15.00	25.00
Weight [kg/m]	0.074	0.123	0.195	0.377	0.074	0.195	0.575
Max. manufacturing length [mm]	4500	4500	18000	21000	4500	18000	21000
Min. pulley diameter [mm]	63	90	140	224	67	151	315
Min. order quantity for non standard lengths from	1800 mm L_d = 22 pieces	1800 mm L_d = 31 pieces	1800 mm L_d = 25 pieces	2000 mm L_d = 16 pieces	1800 mm L_a = 33 pieces	1800 mm L_a = 25 pieces	2540 mm L_a = 14 pieces
Min. order quantity for non standard lengths from	-	-	2050 mm L_d = 23 pieces	-	-	2050 mm L_a = 23 pieces	11430 mm L_a = 11 pieces
Min. order quantity for certain special versions from	1800 mm L_d = 66 pieces	1800 mm L_d = 93 pieces	1800 mm L_d = 75 pieces	2000 mm L_d = 48 pieces	1800 mm L_a = 99 pieces	1800 mm L_a = 75 pieces	2540 mm L_a = 42 pieces
Min. order quantity for certain special versions from	-	-	2050 mm L_d = 69 pieces	-	-	2050 mm L_a = 69 pieces	11430 mm L_a = 33 pieces
Bundle quantity up to 2300 mm	25 pieces	25 pieces	10 pieces	10 pieces	25 pieces	10 pieces	-
Bundle quantity up to 5000 mm	10 pieces	10 pieces	10 pieces	5 pieces	10 pieces	10 pieces	1 piece
Bundle quantity from 5000 mm	-	-	5 pieces	3 pieces	-	5 pieces	1 piece

• Non stock items
Lengths in bold type are version S=C Plus (Set Constant).
datum length L_d = pitch length L_w

SPZ/3V, SPB/5V = replaceable sizes (not to be combined in sets)

Ordering example: SPZ 487
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description	Alternative RMA
SPZ	
SPZ 487	-
SPZ 512	-
SPZ 562	-
SPZ 587	-
SPZ 612	-
SPZ 630	3V 250
SPZ 637	-
SPZ 662	-
SPZ 670	3V 265
SPZ 687	-
SPZ 710	3V 280
SPZ 722	-
SPZ 737	-
SPZ 750	-
SPZ 762	3V 300
SPZ 772	-
SPZ 787	-
SPZ 800	3V 315
SPZ 812	-
SPZ 825	-
SPZ 837	-
SPZ 850	3V 265
SPZ 862	-
SPZ 875	-
SPZ 887	-
SPZ 900	3V 355
SPZ 912	-
SPZ 925	-
SPZ 937	-
SPZ 950	3V 375
SPZ 962	-
SPZ 987	-
SPZ 1000	-
SPZ 1012	3V 400
SPZ 1024	-
SPZ 1037	-
SPZ 1047	-
SPZ 1060	-
SPZ 1077	3V 425
SPZ 1087	-
SPZ 1112	-
SPZ 1120	-
SPZ 1137	3V 450
SPZ 1162	-
SPZ 1180	-
SPZ 1187	-
SPZ 1202	3V 475
SPZ 1212	-
SPZ 1237	-
SPZ 1250	-
SPZ 1262	3V 500

Description	Alternative RMA
SPZ 1270	-
SPZ 1287	-
SPZ 1312	-
SPZ 1320	-
SPZ 1337	3V 530
SPZ 1347	-
SPZ 1362	-
SPZ 1387	-
SPZ 1400	-
SPZ 1412	3V 560
SPZ 1420	-
SPZ 1437	-
SPZ 1450	-
SPZ 1462	-
SPZ 1487	-
SPZ 1500	-
SPZ 1512	-
SPZ 1520	-
SPZ 1537	-
SPZ 1562	-
SPZ 1587	-
SPZ 1600	3V 630
SPZ 1612	-
SPZ 1637	-
SPZ 1650	-
SPZ 1662	-
SPZ 1687	-
SPZ 1700	3V 670
SPZ 1737	-
SPZ 1750	-
SPZ 1762	-
SPZ 1787	-
SPZ 1800	3V 710
SPZ 1812	-
SPZ 1837	-
SPZ 1850	-
SPZ 1862	-
SPZ 1887	-
SPZ 1900	3V 750
SPZ 1937	-
SPZ 1950	-
SPZ 1987	-
SPZ 2000	-
SPZ 2037	-
SPZ 2062	-
SPZ 2087	-
SPZ 2120	-
SPZ 2137	3V 850
SPZ 2150 •	-
SPZ 2187	-
SPZ 2240	3V 900
SPZ 2287	-

Description	Alternative RMA
SPZ 2360	-
SPZ 2500	3V 1000
SPZ 2540	-
SPZ 2650	3V 1060
SPZ 2690	-
SPZ 2800	3V 1120
SPZ 2840 •	3V 1180
SPZ 3000	-
SPZ 3150	-
SPZ 3350	3V 1320
SPZ 3550	3V 1400
SPA	
SPA 732	-
SPA 757	-
SPA 782	-
SPA 800	-
SPA 807	-
SPA 832	-
SPA 850	-
SPA 857	-
SPA 882	-
SPA 900	-
SPA 907	-
SPA 932	-
SPA 950	-
SPA 957	-
SPA 967	-
SPA 982	-
SPA 1000	-
SPA 1007	-
SPA 1032	-
SPA 1060	-
SPA 1082	-
SPA 1107	-
SPA 1120	-
SPA 1132	-
SPA 1157	-
SPA 1180	-
SPA 1207	-
SPA 1232	-
SPA 1250	-
SPA 1257	-
SPA 1272	-
SPA 1282	-
SPA 1307	-
SPA 1320	-
SPA 1332	-
SPA 1357	-
SPA 1382	-
SPA 1400	-
SPA 1407	-
SPA 1432	-

Description	Alternative RMA	Description	Alternative RMA	Description	Alternative RMA
SPA 1457	-	SPA 2632	-	SPB 2400	5V 950
SPA 1482	-	SPA 2650	-	SPB 2410	-
SPA 1500	-	SPA 2682	-	SPB 2430	-
SPA 1507	-	SPA 2732	-	SPB 2450	-
SPA 1532	-	SPA 2782	-	SPB 2500	-
SPA 1550	-	SPA 2800	-	SPB 2530	-
SPA 1557	-	SPA 2832	-	SPB 2580	-
SPA 1582	-	SPA 2847	-	SPB 2650	-
SPA 1600	-	SPA 2882	-	SPB 2680	5V 1060
SPA 1607	-	SPA 2932	-	SPB 2720	-
SPA 1632	-	SPA 2982	-	SPB 2800	-
SPA 1657	-	SPA 3000	-	SPB 2840	-
SPA 1682	-	SPA 3032	-	SPB 2850	-
SPA 1700	-	SPA 3082	-	SPB 2900	-
SPA 1707	-	SPA 3150	-	SPB 2950	-
SPA 1732	-	SPA 3182	-	SPB 3000	-
SPA 1750	-	SPA 3282	-	SPB 3050	-
SPA 1757	-	SPA 3350	-	SPB 3070	-
SPA 1782	-	SPA 3382	-	SPB 3150	-
SPA 1800	-	SPA 3450	-	SPB 3170	-
SPA 1807	-	SPA 3550	-	SPB 3200	-
SPA 1832	-	SPA 3750	-	SPB 3250	-
SPA 1857	-	SPA 4000	-	SPB 3320	-
SPA 1882	-	SPA 4250	-	SPB 3350	5V 1320
SPA 1900	-	SPA 4500	-	SPB 3450	-
SPA 1907	-	**SPB**		SPB 3550	5V 1400
SPA 1932	-	SPB 1250	-	SPB 3650	-
SPA 1950	-	SPB 1320	-	SPB 3750	-
SPA 1957	-	SPB 1400	-	SPB 3800	-
SPA 1982	-	SPB 1450	-	SPB 3870	-
SPA 2000	-	SPB 1500	-	SPB 4000	-
SPA 2032	-	SPB 1550	-	SPB 4050	-
SPA 2057	-	SPB 1600	-	SPB 4060	-
SPA 2082	-	SPB 1650	-	SPB 4120	-
SPA 2120	-	SPB 1680	-	SPB 4250	-
SPA 2132	-	SPB 1700	-	SPB 4300	5V 1700
SPA 2182	-	SPB 1750	-	SPB 4370	-
SPA 2207	-	SPB 1800	-	SPB 4500	-
SPA 2232	-	SPB 1850	-	SPB 4560	5V 1800
SPA 2240	-	SPB 1900	5V 750	SPB 4750	-
SPA 2282	-	SPB 1950	-	SPB 4820	5V 1900
SPA 2300	-	SPB 2000	-	SPB 5000	-
SPA 2307	-	SPB 2020	5V 800	SPB 5070	5V 2000
SPA 2332	-	SPB 2060	-	SPB 5300	-
SPA 2360	-	SPB 2120	-	SPB 5600	-
SPA 2382	-	SPB 2150	5V 850	SPB 6000	-
SPA 2432	-	SPB 2180	-	SPB 6300	-
SPA 2482	-	SPB 2240	-	SPB 6700	-
SPA 2500	-	SPB 2280	5V 900	SPB 7100	5V 2800
SPA 2532	-	SPB 2300	-	SPB 7500	-
SPA 2582	-	SPB 2360	-	SPB 8000	5V 3150
SPA 2607	-	SPB 2391	-		

 © OPTIBELT GMBH, GERMANY


BACK TO THE TABLE OF CONTENTS

Description	Alternative RMA	Description RMA inches	Description metric	Description RMA inches	Description metric
SPC 2000	-	3V		5V 1500	15N 3810
SPC 2120	-	3V 250	9N 635	5V 1600	15N 4064
SPC 2240	-	3V 265	9N 673	5V 1700	15N 4318
SPC 2360	-	3V 280	9N 711	5V 1800	15N 4572
SPC 2500	-	3V 300	9N 762	5V 1900	15N 4826
SPC 2650	-	3V 315	9N 800	5V 2000	15N 5080
SPC 2800	-	3V 335	9N 851	5V 2120	15N 5385
SPC 2900	-	3V 355	9N 902	5V 2240	15N 5690
SPC 3000	-	3V 375	9N 952	5V 2360	15N 5994
SPC 3150	-	3V 400	9N 1016	5V 2500	15N 6350
SPC 3350	-	3V 425	9N 1079	5V 2650	15N 6731
SPC 3500	-	3V 450	9N 1143	5V 2800	15N 7112
SPC 3550	-	3V 475	9N 1206	5V 3000	15N 7620
SPC 3750	-	3V 500	9N 1270	5V 3150	15N 8001
SPC 4000	-	3V 530	9N 1346	5V 3350	15N 8509
SPC 4100	-	3V 560	9N 1422	5V 3550	15N 9017
SPC 4250	-	3V 600	9N 1524	8V	
SPC 4400	-	3V 630	9N 1600	8V 1000	25N 2540
SPC 4500	-	3V 670	9N 1702	8V 1120	25N 2845
SPC 4750	-	3V 710	9N 1803	8V 1180	25N 2997
SPC 5000	-	3V 750	9N 1905	8V 1250	25N 3175
SPC 5300	-	3V 800	9N 2032	8V 1320	25N 3353
SPC 5600	-	3V 850	9N 2159	8V 1400	25N 3556
SPC 6000	-	3V 900	9N 2286	8V 1500	25N 3810
SPC 6300	-	3V 950	9N 2413	8V 1600	25N 4064
SPC 6700	-	3V 1000	9N 2540	8V 1700	25N 4318
SPC 7100	-	3V 1060	9N 2692	8V 1800	25N 4572
SPC 7500	-	3V 1120	9N 2845	8V 1900	25N 4826
SPC 7800	-	3V 1180	9N 2997	8V 2000	25N 5080
SPC 8000	-	3V 1250	9N 3175	8V 2120	25N 5385
SPC 8500	-	3V 1320	9N 3353	8V 2240	25N 5690
SPC 9000	-	3V 1400	9N 3556	8V 2360	25N 5994
SPC 9500	-	5V		8V 2500	25N 6350
SPC 10000	-	5V 500	15N 1270	8V 2650	25N 6731
SPC 10600	-	5V 530	15N 1346	8V 2800	25N 7112
SPC 11200	-	5V 560	15N 1422	8V 3000	25N 7620
SPC 12500	-	5V 600	15N 1524	8V 3150	25N 8001
		5V 630	15N 1600	8V 3350	25N 8509
		5V 670	15N 1702	8V 3550	25N 9017
		5V 710	15N 1803	8V 3750	25N 9525
		5V 750	15N 1905	8V 4000	25N 10160
		5V 800	15N 2032	8V 4250	25N 10795
		5V 850	15N 2159	8V 4500	25N 11430
		5V 900	15N 2286	8V 4750	25N 12065
		5V 950	15N 2413	8V 5000	25N 12700
		5V 1000	15N 2540		
		5V 1060	15N 2692		
		5V 1120	15N 2845		
		5V 1180	15N 2997		
		5V 1250	15N 3175		
		5V 1320	15N 3353		
		5V 1400	15N 3556		



optibelt RED POWER 3 S=C Plus

HIGH-PERFORMANCE WEDGE BELTS
maintenance free as per DIN 7753 Part 1/ ISO 4184 and RMA/MPTA



Profiles:
SPZ, SPA, SPB, SPC



Profiles:
3V, 5V, 8V



RED POWER 3 CLASSIC
Profiles on request



	SPZ	SPA	SPB	SPC	3V	5V	8V
Nominal length	Datum length L_d	Datum length L_d	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	mm	mm	in	in	in
Height of belt h [mm]	8.00	10.00	13.00	18.00	8.00	13.00	23.00
Width of belt b [mm]	9.70	12.70	16.30	22.00	9.00	15.00	25.00
Weight [kg/m]	0.074	0.123	0.195	0.377	0.074	0.195	0.575
Max. manufacturing length [mm]	4000	4000	12500	12500	4000	12500	12500
Min. pulley diameter [mm]	63.00	90.00	140.00	224.00	67.00	151.00	315.00
Min. order quantity for non standard lengths from	1202 mm L_d = 76 pieces	1207 mm L_d = 62 pieces	1250 mm L_d = 50 pieces	2000 mm L_d = 32 pieces	1206 mm L_a = 80 pieces	1270 mm L_a = 50 pieces	2540 mm L_a = 28 pieces
Min. order quantity for non standard lengths from	2120 mm L_d = 70 pieces	2120 mm L_d = 78 pieces	2120 mm L_d = 72 pieces	-	2032 mm L_a = 98 pieces	2032 mm L_a = 72 pieces	-
Bundle quantity up to 2300 mm	25 pieces	25 pieces	10 pieces	10 pieces	25 pieces	10 pieces	-
Bundle quantity up to 5000 mm	10 pieces	10 piece	10 pieces	5 pieces	10 pieces	10 pieces	1 piece
Bundle quantity from 5000 mm	-	-	5 pieces	3 pieces	-	5 pieces	1 piece

• Non stock items
Lengths in bold type are version S=C Plus (Set Constant).
datum length L_d = pitch length L_w

Ordering example: SPZ 1202 RP
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description	Alternative RMA
SPZ	
SPZ 1202 RP	3V 475 RP
SPZ 1212 RP	-
SPZ 1237 RP	-
SPZ 1250 RP	-
SPZ 1262 RP	3V 500 RP
SPZ 1287 RP	-
SPZ 1312 RP	-
SPZ 1320 RP	-
SPZ 1337 RP	-
SPZ 1362 RP	-
SPZ 1387 RP	3V 530 RP
SPZ 1400 RP	-
SPZ 1412 RP	-
SPZ 1437 RP	-
SPZ 1462 RP	-
SPZ 1487 RP	-
SPZ 1500 RP	-
SPZ 1512 RP	-
SPZ 1537 RP	-
SPZ 1562 RP	-
SPZ 1587 RP	-
SPZ 1600 RP	3V 630 RP
SPZ 1612 RP	-
SPZ 1637 RP	-
SPZ 1662 RP	-
SPZ 1687 RP	-
SPZ 1700 RP	3V 670 RP
SPZ 1737 RP	-
SPZ 1762 RP	-
SPZ 1787 RP	-
SPZ 1800 RP	3V 710 RP
SPZ 1837 RP	-
SPZ 1862 RP	-
SPZ 1887 RP	-
SPZ 1900 RP	3V 750 RP
SPZ 1937 RP	-
SPZ 1987 RP	-
SPZ 2000 RP	-
SPZ 2037 RP	-
SPZ 2120 RP	-
SPZ 2137 RP	-
SPZ 2187 RP	-
SPZ 2240 RP	-
SPZ 2287 RP	3V 900 RP
SPZ 2360 RP	-
SPZ 2500 RP	-
SPZ 2650 RP	-
SPZ 2800 RP	-
SPZ 3000 RP	3V 1180 RP
SPZ 3150 RP	-
SPZ 3350 RP	3V 1320 RP
SPZ 3550 RP	3V 1400 RP
SPA	
SPA 1207 RP	-
SPA 1232 RP	-
SPA 1250 RP	-
SPA 1257 RP	-
SPA 1272 RP	-
SPA 1282 RP	-
SPA 1307 RP	-
SPA 1320 RP	-
SPA 1332 RP	-
SPA 1357 RP	-
SPA 1382 RP	-
SPA 1400 RP	-
SPA 1407 RP	-
SPA 1432 RP	-
SPA 1457 RP	-
SPA 1482 RP	-
SPA 1500 RP	-
SPA 1507 RP	-
SPA 1532 RP	-
SPA 1557 RP	-
SPA 1582 RP	-
SPA 1600 RP	-
SPA 1607 RP	-
SPA 1632 RP	-
SPA 1657 RP	-
SPA 1682 RP	-
SPA 1700 RP	-
SPA 1707 RP	-
SPA 1732 RP	-
SPA 1757 RP	-
SPA 1782 RP	-
SPA 1800 RP	-
SPA 1807 RP	-
SPA 1832 RP	-
SPA 1857 RP	-
SPA 1882 RP	-
SPA 1900 RP	-
SPA 1907 RP	-
SPA 1932 RP	-
SPA 1957 RP	-
SPA 1982 RP	-
SPA 2000 RP	-
SPA 2032 RP	-
SPA 2057 RP	-
SPA 2082 RP	-
SPA 2120 RP	-
SPA 2132 RP	-
SPA 2182 RP	-
SPA 2207 RP	-
SPA 2232 RP	-
SPA 2240 RP	-
SPA 2282 RP	-
SPA 2300 RP	-
SPA 2307 RP	-
SPA 2332 RP	-
SPA 2360 RP	-
SPA 2382 RP	-
SPA 2432 RP	-
SPA 2482 RP	-
SPA 2500 RP	-
SPA 2532 RP	-
SPA 2582 RP	-
SPA 2607 RP	-
SPA 2632 RP	-
SPA 2650 RP	-
SPA 2682 RP	-
SPA 2732 RP	-
SPA 2782 RP	-
SPA 2800 RP	-
SPA 2832 RP	-
SPA 2847 RP	-
SPA 2882 RP	-
SPA 2932 RP	-
SPA 2982 RP	-
SPA 3000 RP	-
SPA 3032 RP	-
SPA 3082 RP	-
SPA 3150 RP	-
SPA 3182 RP	-
SPA 3282 RP	-
SPA 3350 RP	-
SPA 3382 RP	-
SPA 3550 RP	-
SPA 3750 RP	-
SPA 4000 RP	-
SPB	
SPB 1250 RP	-
SPB 1320 RP	-
SPB 1400 RP	-
SPB 1450 RP	-
SPB 1500 RP	-
SPB 1550 RP	-
SPB 1600 RP	-
SPB 1700 RP	-
SPB 1800 RP	-
SPB 1850 RP	-
SPB 1900 RP	5V 750 RP
SPB 2000 RP	-
SPB 2020 RP	-
SPB 2060 RP	-
SPB 2120 RP	-
SPB 2150 RP	-

Description	Alternative RMA
SPB 2180 RP	-
SPB 2240 RP	-
SPB 2280 RP	-
SPB 2360 RP	-
SPB 2450 RP	-
SPB 2500 RP	-
SPB 2530 RP	-
SPB 2650 RP	-
SPB 2800 RP	-
SPB 2840 RP	-
SPB 2900 RP	-
SPB 3000 RP	-
SPB 3150 RP	-
SPB 3250 RP	-
SPB 3350 RP	5V 1320 RP
SPB 3450 RP	-
SPB 3550 RP	5V 1400 RP
SPB 3650 RP	-
SPB 3750 RP	-
SPB 3800 RP	-
SPB 4000 RP	-
SPB 4120 RP	-
SPB 4250 RP	-
SPB 4500 RP	-
SPB 4750 RP	-
SPB 5000 RP	-
SPB 5300 RP	-
SPB 5600 RP	-
SPB 6000 RP	-
SPB 6300 RP	-
SPB 6700 RP	-
SPB 7100 RP	5V 2800 RP
SPB 7500 RP	-
SPB 8000 RP	5V 3150 RP
SPC	
SPC 2000 RP	-
SPC 2120 RP	-
SPC 2240 RP	-
SPC 2360 RP	-
SPC 2500 RP	-
SPC 2650 RP	-
SPC 2800 RP	-
SPC 3000 RP	-
SPC 3150 RP	-
SPC 3350 RP	-
SPC 3550 RP	-
SPC 3750 RP	-
SPC 4000 RP	-
SPC 4250 RP	-
SPC 4500 RP	-
SPC 4750 RP	-
SPC 5000 RP	-

Description	Alternative RMA
SPC 5300 RP	-
SPC 5600 RP	-
SPC 6000 RP	-
SPC 6300 RP	-
SPC 6700 RP	-
SPC 7100 RP	-
SPC 7500 RP	-
SPC 8000 RP	-
SPC 8500 RP	-
SPC 9000 RP	-
SPC 9500 RP	-
SPC 10000 RP	-
3V	
3V 475 RP	9N 1206 RP
3V 500 RP	9N 1270 RP
3V 530 RP	9N 1346 RP
3V 560 RP	9N 1422 RP
3V 600 RP	9N 1524 RP
3V 630 RP	9N 1600 RP
3V 670 RP	9N 1702 RP
3V 710 RP	9N 1803 RP
3V 750 RP	9N 1905 RP
3V 800 RP	9N 2032 RP
3V 850 RP	9N 2159 RP
3V 900 RP	9N 2286 RP
3V 950 RP	9N 2413 RP
3V 1000 RP	9N 2540 RP
3V 1060 RP	9N 2692 RP
3V 1120 RP	9N 2845 RP
3V 1180 RP	9N 2997 RP
3V 1250 RP	9N 3175 RP
3V 1320 RP	9N 3353 RP
3V 1400 RP	9N 3556 RP
5V	
5V 500 RP	15N 1270 RP
5V 530 RP	15N 1346 RP
5V 560 RP	15N 1422 RP
5V 600 RP	15N 1524 RP
5V 630 RP	15N 1600 RP
5V 670 RP	15N 1702 RP
5V 710 RP	15N 1803 RP
5V 750 RP	15N 1905 RP
5V 800 RP	15N 2032 RP
5V 850 RP	15N 2159 RP
5V 900 RP	15N 2286 RP
5V 950 RP	15N 2413 RP
5V 1000 RP	15N 2540 RP
5V 1060 RP	15N 2692 RP
5V 1120 RP	15N 2845 RP
5V 1180 RP	15N 2997 RP
5V 1250 RP	15N 3175 RP
5V 1320 RP	15N 3353 RP

Description	Alternative RMA
5V 1400 RP	15N 3556 RP
5V 1500 RP	15N 3810 RP
5V 1600 RP	15N 4064 RP
5V 1700 RP	15N 4318 RP
5V 1800 RP	15N 4572 RP
5V 1900 RP	15N 4826 RP
5V 2000 RP	15N 5080 RP
5V 2120 RP	15N 5385 RP
5V 2240 RP	15N 5690 RP
5V 2360 RP	15N 5994 RP
5V 2500 RP	15N 6350 RP
5V 2650 RP	15N 6731 RP
5V 2800 RP	15N 7112 RP
5V 3000 RP	15N 7620 RP
5V 3150 RP	15N 8001 RP
8V	
8V 1000 RP	25N 2540 RP
8V 1120 RP	25N 2845 RP
8V 1180 RP	25N 2997 RP
8V 1250 RP	25N 3175 RP
8V 1320 RP	25N 3353 RP
8V 1400 RP	25N 3556 RP
8V 1500 RP	25N 3810 RP
8V 1600 RP	25N 4064 RP
8V 1700 RP	25N 4318 RP
8V 1800 RP	25N 4572 RP
8V 1900 RP	25N 4826 RP
8V 2000 RP	25N 5080 RP
8V 2120 RP	25N 5385 RP
8V 2240 RP	25N 5690 RP
8V 2360 RP	25N 5994 RP
8V 2500 RP	25N 6350 RP
8V 2650 RP	25N 6731 RP
8V 2800 RP	25N 7112 RP
8V 3000 RP	25N 7620 RP
8V 3150 RP	25N 8001 RP
8V 3350 RP	25N 8509 RP
8V 3550 RP	25N 9017 RP
8V 3750 RP	25N 9525 RP
8V 4000 RP	25N 10160 RP
8V 4250 RP	25N 10795 RP
8V 4500 RP	25N 11430 RP
8V 4750 RP	25N 12065 RP


 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS




optibelt BLUE POWER

HIGH-PERFORMANCE WEDGE BELTS with Aramid cord, DIN 7753 Part 1 / ISO 4184 and RMA/MPTA



Profiles:
SPB, SPC



Profile:
8V

	SPB	SPC	8V
Nominal length	Datum length L_d	Datum length L_d	Outside length L_a / 10
Nominal lengths unit	mm	mm	in
Height of belt h [mm]	13.00	18.00	23.00
Width of belt b [mm]	16.30	22.00	25.00
Weight [kg/m]	0.206	0.389	0.603
Max. manufacturing length [mm]	18000	18000	18000
Min. pulley diameter [mm]	180.00	280.00	355.00
Min. order quantity for non standard lengths from	1500 mm L_d = 25 pieces	2000 mm L_d = 16 pieces	4064 mm L_a = 14 pieces
Min. order quantity for non standard lengths from	1800 mm L_d = 23 pieces	-	-
Bundle quantity up to 2300 mm	10 pieces	10 pieces	-
Bundle quantity up to 5000 mm	10 pieces	5 pieces	1 piece
Bundle quantity from 5000 mm	5 pieces	3 pieces	1 piece

• Non stock items
Further profiles and sizes are available on request.


Ordering example: SPB 1500 BP
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description	Description	Description RMA inches	Description metric
SPB	SPC 6300 BP •	**8V**	
SPB 1500 BP •	SPC 6700 BP •	8V 1600 BP •	25N 4064 BP
SPB 1600 BP •	SPC 7100 BP •	8V 1700 BP •	25N 4318 BP
SPB 1700 BP •	SPC 7500 BP •	8V 1800 BP •	25N 4572 BP
SPB 1800 BP •	SPC 8000 BP •	8V 1900 BP •	25N 4826 BP
SPB 1900 BP •	SPC 8500 BP •	8V 2000 BP •	25N 5080 BP
SPB 2000 BP •	SPC 9000 BP •	8V 2120 BP •	25N 5385 BP
SPB 2120 BP •		8V 2240 BP •	25N 5690 BP
SPB 2240 BP •		8V 2360 BP •	25N 5994 BP
SPB 2360 BP •		8V 2500 BP •	25N 6350 BP
SPB 2500 BP •		8V 2650 BP •	25N 6731 BP
SPB 2650 BP •		8V 2800 BP •	25N 7112 BP
SPB 2800 BP •		8V 3000 BP •	25N 7620 BP
SPB 3000 BP •		8V 3150 BP •	25N 8001 BP
SPB 3150 BP •		8V 3350 BP •	25N 8509 BP
SPB 3350 BP •		8V 3550 BP •	25N 9017 BP
SPB 3550 BP •			
SPB 3750 BP •			
SPB 4000 BP •			
SPB 4250 BP •			
SPB 4500 BP •			
SPB 4750 BP •			
SPB 5000 BP •			
SPB 5300 BP •			
SPB 5600 BP •			
SPB 6000 BP •			
SPB 6300 BP •			
SPB 6700 BP •			
SPB 7100 BP •			
SPB 7500 BP •			
SPB 8000 BP •			
SPC			
SPC 2000 BP •			
SPC 2120 BP •			
SPC 2240 BP •			
SPC 2360 BP •			
SPC 2500 BP •			
SPC 2650 BP •			
SPC 2800 BP •			
SPC 3000 BP •			
SPC 3150 BP •			
SPC 3350 BP •			
SPC 3550 BP •			
SPC 3750 BP •			
SPC 4000 BP •			
SPC 4250 BP •			
SPC 4500 BP •			
SPC 4750 BP •			
SPC 5000 BP •			
SPC 5300 BP •			
SPC 5600 BP •			
SPC 6000 BP •			





Profiles:
XPZ, XPA, XPB, XPC, 3VX, 5VX

optibelt SUPER XE-POWER PRO M=S

HIGH-PERFORMANCE WEDGE BELTS
raw edge, moulded cogged as per DIN 7753 Part 1/ ISO 4184 and RMA/MPTA

	XPZ	XPA	XPB	XPC	3VX	5VX
Nominal length	Datum length L_d	Datum length L_d	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	mm	mm	in	in
Height of belt h [mm]	8.50	9.00	13.00	16.50	8.50	13.00
Width of belt b [mm]	9.70	12.70	16.30	22.00	9.00	15.00
Weight [kg/m]	0.058	0.089	0.156	0.274	0.055	0.152
Max. manufacturing length [mm]	3550	3550	3550	3550	3556	3556
Min. pulley diameter [mm]	56.00	71.00	112.00	180.00	56.00	112.00
Min. order quantity for non standard lengths	on request	on request	on request	on request	on request	on request
Bundle quantity up to 2300 mm	25 pieces	25 pieces	10 pieces	10 pieces	25 pieces	10 pieces
Bundle quantity up to 3556 mm	10 pieces	10 pieces	10 pieces	5 pieces	10 pieces	10 pieces

• Non stock items
datum length L_d = pitch length L_w

XPZ/3VX, XPB/5VX = replaceable dimension (not to be combined in sets).
All optibelt SUPER XE-POWER M=S V-belts can be combined, without further measurement, to form sets if the nominal lengths are the same.

Ordering example: XPZ 587 XEP
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

Description	Alternative RMA
XPZ	
XPZ 587 XEP	-
XPZ 612 XEP	-
XPZ 630 XEP	3VX 250 XEP
XPZ 637 XEP	-
XPZ 662 XEP	-
XPZ 670 XEP	3VX 265 XEP
XPZ 687 XEP	-
XPZ 710 XEP	3VX 280 XEP
XPZ 730 XEP	-
XPZ 737 XEP	-
XPZ 750 XEP	-
XPZ 762 XEP	3VX 300 XEP
XPZ 772 XEP	-
XPZ 787 XEP	-
XPZ 800 XEP	3VX 315 XEP
XPZ 812 XEP	-
XPZ 825 XEP	-
XPZ 837 XEP	-
XPZ 850 XEP	3VX 335 XEP
XPZ 862 XEP	-
XPZ 875 XEP	-
XPZ 887 XEP	-
XPZ 900 XEP	3VX 355 XEP
XPZ 912 XEP	-
XPZ 925 XEP	-
XPZ 937 XEP	-
XPZ 950 XEP	3VX 375 XEP
XPZ 962 XEP	-
XPZ 987 XEP	-
XPZ 1000 XEP	-
XPZ 1012 XEP	3VX 400 XEP
XPZ 1037 XEP	-
XPZ 1060 XEP	-
XPZ 1077 XEP	3VX 425 XEP
XPZ 1087 XEP	-
XPZ 1112 XEP	-
XPZ 1120 XEP	-
XPZ 1137 XEP	3VX 450 XEP
XPZ 1162 XEP	-
XPZ 1180 XEP	-
XPZ 1187 XEP	-
XPZ 1202 XEP	3VX 475 XEP
XPZ 1212 XEP	-
XPZ 1237 XEP	-
XPZ 1250 XEP	-
XPZ 1262 XEP	3VX 500 XEP
XPZ 1287 XEP	-
XPZ 1312 XEP	-
XPZ 1320 XEP	-
XPZ 1337 XEP	3VX 530 XEP
XPZ 1362 XEP	-
XPZ 1387 XEP	-
XPZ 1400 XEP	-
XPZ 1412 XEP	3VX 560 XEP
XPZ 1437 XEP	-
XPZ 1462 XEP	-
XPZ 1487 XEP	-
XPZ 1500 XEP	-
XPZ 1512 XEP	-
XPZ 1537 XEP	-
XPZ 1562 XEP	-
XPZ 1587 XEP	-
XPZ 1600 XEP	3VX 630 XEP
XPZ 1612 XEP	-
XPZ 1662 XEP	-
XPZ 1700 XEP	3VX 670 XEP
XPZ 1750 XEP	-
XPZ 1762 XEP	-
XPZ 1800 XEP	3VX 710 XEP
XPZ 1850 XEP	-
XPZ 1900 XEP	3VX 750 XEP
XPZ 1950 XEP	-
XPZ 2000 XEP	-
XPZ 2120 XEP	-
XPZ 2150 XEP	3VX 850 XEP
XPZ 2240 XEP	-
XPZ 2360 XEP	-
XPZ 2500 XEP	-
XPZ 2540 XEP	3VX 1000 XEP
XPZ 2650 XEP	-
XPZ 2690 XEP	3VX 1060 XEP
XPZ 2800 XEP	-
XPZ 2840 XEP	3VX 1120 XEP
XPZ 3000 XEP	3VX 1180 XEP
XPZ 3150 XEP	-
XPZ 3350 XEP	3VX 1320 XEP
XPZ 3550 XEP	3VX 1400 XEP
XPA	
XPA 707 XEP	-
XPA 732 XEP	-
XPA 757 XEP	-
XPA 782 XEP	-
XPA 800 XEP	-
XPA 807 XEP	-
XPA 832 XEP	-
XPA 850 XEP	-
XPA 857 XEP	-
XPA 882 XEP	-
XPA 900 XEP	-
XPA 907 XEP	-
XPA 932 XEP	-
XPA 950 XEP	-
XPA 957 XEP	-
XPA 982 XEP	-
XPA 1000 XEP	-
XPA 1007 XEP	-
XPA 1030 XEP	-
XPA 1060 XEP	-
XPA 1082 XEP	-
XPA 1107 XEP	-
XPA 1120 XEP	-
XPA 1132 XEP	-
XPA 1157 XEP	-
XPA 1180 XEP	-
XPA 1207 XEP	-
XPA 1232 XEP	-
XPA 1250 XEP	-
XPA 1257 XEP	-
XPA 1272 XEP	-
XPA 1282 XEP	-
XPA 1307 XEP	-
XPA 1320 XEP	-
XPA 1332 XEP	-
XPA 1357 XEP	-
XPA 1382 XEP	-
XPA 1400 XEP	-
XPA 1432 XEP	-
XPA 1450 XEP	-
XPA 1457 XEP	-
XPA 1482 XEP	-
XPA 1500 XEP	-
XPA 1507 XEP	-
XPA 1532 XEP	-
XPA 1557 XEP	-
XPA 1582 XEP	-
XPA 1600 XEP	-
XPA 1607 XEP	-
XPA 1632 XEP	-
XPA 1650 XEP	-
XPA 1682 XEP	-
XPA 1700 XEP	-
XPA 1732 XEP	-
XPA 1750 XEP	-
XPA 1757 XEP	-
XPA 1782 XEP	-
XPA 1800 XEP	-
XPA 1832 XEP	-
XPA 1850 XEP	-
XPA 1882 XEP	-
XPA 1900 XEP	-
XPA 1932 XEP	-
XPA 1950 XEP	-
XPA 1982 XEP	-
XPA 2000 XEP	-
XPA 2120 XEP	-

Description	Alternative RMA
XPA 2240 XEP	-
XPA 2360 XEP	-
XPA 2500 XEP	-
XPA 2650 XEP	-
XPA 2800 XEP	-
XPA 3000 XEP	-
XPA 3150 XEP	-
XPA 3350 XEP	-
XPA 3550 XEP	-
XPB	
XPB 1250 XEP	-
XPB 1320 XEP	-
XPB 1400 XEP	-
XPB 1450 XEP	-
XPB 1500 XEP	-
XPB 1600 XEP	-
XPB 1650 XEP	-
XPB 1700 XEP	-
XPB 1750 XEP	-
XPB 1800 XEP	-
XPB 1850 XEP	-
XPB 1900 XEP	5VX 750 XEP
XPB 2000 XEP	-
XPB 2020 XEP	5VX 800 XEP
XPB 2040 XEP	-
XPB 2120 XEP	-
XPB 2150 XEP	5VX 850 XEP
XPB 2240 XEP	-
XPB 2280 XEP	5VX 900 XEP
XPB 2360 XEP	-
XPB 2400 XEP	5VX 950 XEP
XPB 2500 XEP	-
XPB 2650 XEP	-
XPB 2680 XEP	5VX 1060 XEP
XPB 2800 XEP	-
XPB 2840 XEP	5VX 1120 XEP
XPB 3000 XEP	-
XPB 3150 XEP	-
XPB 3350 XEP	5VX 1320 XEP
XPB 3550 XEP	5VX 1400 XEP
XPC	
XPC 2000 XEP	-
XPC 2120 XEP	-
XPC 2240 XEP	-
XPC 2360 XEP	-
XPC 2500 XEP	-
XPC 2650 XEP	-
XPC 2800 XEP	-
XPC 3000 XEP	-
XPC 3150 XEP	-
XPC 3350 XEP	-
XPC 3550 XEP	-

Description RMA inches	Description metric
3VX	
3VX 250 XEP	9NX 635 XEP
3VX 265 XEP	9NX 673 XEP
3VX 280 XEP	9NX 711 XEP
3VX 300 XEP	9NX 762 XEP
3VX 315 XEP	9NX 800 XEP
3VX 335 XEP	9NX 851XEP
3VX 355 XEP	9NX 902 XEP
3VX 375 XEP	9NX 952 XEP
3VX 400 XEP	9NX 1016 XEP
3VX 425 XEP	9NX 1079 XEP
3VX 450 XEP	9NX 1143 XEP
3VX 475 XEP	9NX 1206 XEP
3VX 500 XEP	9NX 1270 XEP
3VX 530 XEP	9NX 1346 XEP
3VX 560 XEP	9NX 1422 XEP
3VX 600 XEP	9NX 1524 XEP
3VX 630 XEP	9NX 1600 XEP
3VX 670 XEP	9NX 1702 XEP
3VX 710 XEP	9NX 1803 XEP
3VX 750 XEP	9NX 1905 XEP
3VX 800 XEP	9NX 2032 XEP
3VX 850 XEP	9NX 2159 XEP
3VX 900 XEP	9NX 2286 XEP
3VX 950 XEP	9NX 2413 XEP
3VX 1000 XEP	9NX 2540 XEP
3VX 1060 XEP	9NX 2692 XEP
3VX 1120 XEP	9NX 2845 XEP
3VX 1180 XEP	9NX 2997 XEP
3VX 1250 XEP	9NX 3175 XEP
3VX 1320 XEP	9NX 3353 XEP
3VX 1400 XEP	9NX 3556 XEP
5VX	
5VX 500 XEP	15NX 1270 XEP
5VX 530 XEP	15NX 1346 XEP
5VX 560 XEP	15NX 1422 XEP
5VX 600 XEP	15NX 1524 XEP
5VX 630 XEP	15NX 1600 XEP
5VX 670 XEP	15NX 1702 XEP
5VX 710 XEP	15NX 1803 XEP
5VX 750 XEP	15NX 1905 XEP
5VX 800 XEP	15NX 2032 XEP
5VX 850 XEP	15NX 2159 XEP
5VX 900 XEP	15NX 2286 XEP
5VX 950 XEP	15NX 2413 XEP
5VX 1000 XEP	15NX 2540 XEP
5VX 1060 XEP	15NX 2692 XEP
5VX 1120 XEP	15NX 2845 XEP
5VX 1180 XEP	15NX 2997 XEP
5VX 1250 XEP	15NX 3175 XEP
5VX 1320 XEP	15NX 3353 XEP
5VX 1400 XEP	15NX 3556 XEP

 © OPTIBELT GMBH, GERMANY





Profiles:
5, Y/6, 8, Z/10, A/13, B/17, 20, C/22, 25, D/32, E/40

optibelt VB S=C Plus

CLASSICAL V-BELTS
DIN 2215 / ISO 4184



	5	Y/6	8	Z/10	A/13	B/17	20	C/22	25	D/32	E/40
Nominal length	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i	Inside length L_i
Nominal lengths unit	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
Height of belt h [mm]	3.00	4.00	5.00	6.00	8.00	11.00	12.50	14.00	16.00	20.00	25.00
Width of belt b [mm]	5.00	6.00	8.00	10.00	13.00	17.00	20.00	22.00	25.00	32.00	40.00
Weight [kg/m]	0.018	0.026	0.042	0.064	0.109	0.196	0.266	0.324	0.420	0.668	0.958
Max. manufacturing length [mm]	-	-	-	4500	10000	21000	21000	21000	21000	21000	21000
Min. pulley diameter [mm]	20.00	28.00	40.00	50.00	71.00	112.00	160.00	180.00	250.00	355.00	500.00
Min. order quantity for non standard lengths from	on request	on request	on request	1800 mm = 20 pieces	1800 mm = 31 pieces	1800 mm = 25 pieces	1800 mm = 21 pieces	1800 mm = 19 pieces	1800 mm = 17 pieces	2000 mm = 11 pieces	3000 mm = 7 pieces
Min. order quantity for non standard lengths from	-	-	-	-	-	2000 mm = 21 pieces	2000 mm = 18 pieces	2000 mm = 16 pieces	2000 mm = 14 pieces	-	-
Min. order quantity for certain special versions from	-	-	-	1800 mm = 60 pieces	1800 mm = 93 pieces	1800 mm = 75 pieces	1800 mm = 63 pieces	1800 mm = 57 pieces	1800 mm = 51 pieces	2000 mm = 33 pieces	3000 mm = 21 pieces
Min. order quantity for certain special versions from	-	-	-	-	-	2000 mm = 63 pieces	2000 mm = 54 pieces	2000 mm = 48 pieces	2000 mm = 42 pieces	-	-
Bundle quantity up to 2300 mm	25 pieces	25 pieces	25 pieces	25 pieces	25 pieces	10 pieces	10 pieces	10 pieces	10 pieces	1 piece	-
Bundle quantity up to 5000 mm	-	-	-	10 pieces	10 pieces	10 pieces	5 pieces	5 pieces	5 pieces	1 piece	1 piece
Bundle quantity from 5000 mm	-	-	-	-	10 pieces	5 pieces	3 pieces	3 pieces	3 pieces	1 piece	1 piece

• Non stock items
Lengths in bold type are version S=C Plus (Set Constant).
▲ Raw edge, moulded cogged
datum length L_d = pitch length L_w

optibelt VB - LC: V-Belts with Light Coloured Cover Fabric
Profiles: A/13, B/17, 20, C/22, 25, D/32 on request



optibelt LD: Light Duty V-Belts to RMA/MPTA
Profiles: 2L, 3L, 4L, 5L on request

Ordering example: 5 x 190
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_i	Description L_d	Belt no.
5		
5 x 190 ▲	5 x 200	-
5 x 229 ▲	5 x 239	-
5 x 260 ▲	5 x 270	-
5 x 280 ▲	5 x 290	-
5 x 300 ▲	5 x 310	-
5 x 315 ▲	5 x 325	-
5 x 322 ▲	5 x 332	-
5 x 335 ▲	5 x 345	-
5 x 375 ▲	5 x 385	-
5 x 425 ▲	5 x 435	-
5 x 475 ▲	5 x 485	-
5 x 500 ▲	5 x 510	-
5 x 530 ▲	5 x 540	-
5 x 554 ▲	5 x 564	-
5 x 600 ▲	5 x 610	-
Y/6		
6 x 280 ▲	6 x 295	-
6 x 300 ▲	6 x 315	-
6 x 335 ▲	6 x 350	-
6 x 400 ▲	6 x 415	-
6 x 425 ▲	6 x 440	-
6 x 450 ▲	6 x 465	-
6 x 500 ▲	6 x 515	-
6 x 540 ▲	6 x 555	-
6 x 600 ▲	6 x 615	-
6 x 850 ▲	6 x 865	-
8		
8 x 315 ▲	8 x 335	-
8 x 355 ▲	8 x 375	-
8 x 400 ▲	8 x 420	-
8 x 425 ▲	8 x 445	-
8 x 450 ▲	8 x 470	-
8 x 475 ▲	8 x 495	-
8 x 490 ▲	8 x 510	-
8 x 530 ▲	8 x 550	-
8 x 560 ▲	8 x 580	-
8 x 575 ▲	8 x 595	-
8 x 600 ▲	8 x 620	-
8 x 630 ▲	8 x 650	-
8 x 670 ▲	8 x 690	-
8 x 700 ▲	8 x 720	-
8 x 710 ▲	8 x 730	-
8 x 750 ▲	8 x 770	-
8 x 775 ▲	8 x 795	-
8 x 800 ▲	8 x 820	-
8 x 825	8 x 845	-
8 x 850	8 x 870	-
8 x 875	8 x 895	-
8 x 900	8 x 920	-
8 x 950	8 x 970	-
8 x 1000	8 x 1020	-
8 x 1020	8 x 1040	-
8 x 1050	8 x 1070	-
8 x 1075	8 x 1095	-
8 x 1120	8 x 1140	-
8 x 1200	8 x 1220	-
8 x 1250	8 x 1270	-
Z/10		
10 x 290 ▲	10 x 312	Z 11
10 x 315 ▲	10 x 337	Z 12 1/2
10 x 375 ▲	10 x 397	Z 14
10 x 400 ▲	10 x 422	Z 15
10 x 425 ▲	10 x 447	Z 16
10 x 450 ▲	10 x 472	Z 17
10 x 475 ▲	10 x 497	Z 18
10 x 480 ▲	10 x 502	Z 19
10 x 500 ▲	10 x 522	Z 19 3/4
10 x 515 ▲	10 x 537	Z 20
10 x 525 ▲	10 x 547	Z 20 1/2
10 x 530 ▲	10 x 552	Z 21
10 x 540 ▲	10 x 562	Z 21 1/4
10 x 560 ▲	10 x 582	Z 22
10 x 575	10 x 597	Z 23
10 x 600	10 x 622	Z 24
10 x 630	10 x 652	Z 25
10 x 650	10 x 672	Z 26
10 x 670	10 x 692	Z 27
10 x 700	10 x 722	Z 27 1/2
10 x 710	10 x 732	Z 28
10 x 725	10 x 747	Z 28 1/2
10 x 730	10 x 752	Z 29
10 x 750	10 x 772	Z 29 1/2
10 x 765	10 x 787	Z 30
10 x 775	10 x 797	Z 31
10 x 800	10 x 822	Z 31 1/2
10 x 820	10 x 842	Z 32
10 x 825	10 x 847	Z 33
10 x 850	10 x 872	Z 33 1/2
10 x 865	10 x 887	Z 34
10 x 875	10 x 897	Z 35
10 x 900	10 x 922	Z 36
10 x 925	10 x 947	Z 37
10 x 950	10 x 972	Z 38
10 x 975	10 x 997	Z 38 1/2
10 x 1000	10 x 1022	Z 39
10 x 1016	10 x 1038	Z 40
10 x 1030	10 x 1052	Z 40 1/2
10 x 1041	10 x 1063	Z 41
10 x 1050	10 x 1072	Z 41 1/2
10 x 1060	10 x 1082	Z 42
10 x 1080	10 x 1102	Z 43
10 x 1100	10 x 1122	Z 43 1/4
10 x 1120	10 x 1142	Z 44

Description L_i	Description L_d	Belt no.
10 x 1150	10 x 1172	Z 45
10 x 1165	10 x 1187	Z 46
10 x 1180	10 x 1202	Z 46 1/2
10 x 1194	10 x 1216	Z 47
10 x 1215	10 x 1237	Z 48
10 x 1225	10 x 1247	Z 48 1/2
10 x 1250	10 x 1272	Z 49
10 x 1270	10 x 1292	Z 50
10 x 1295	10 x 1317	Z 51
10 x 1320	10 x 1342	Z 52
10 x 1346	10 x 1368	Z 53
10 x 1371	10 x 1393	Z 54
10 x 1400	10 x 1422	Z 55
10 x 1422	10 x 1444	Z 56
10 x 1450	10 x 1472	Z 57
10 x 1475	10 x 1497	Z 58
10 x 1500	10 x 1522	Z 59
10 x 1524	10 x 1546	Z 60
10 x 1550	10 x 1572	Z 61
10 x 1575	10 x 1597	Z 62
10 x 1600	10 x 1622	Z 63
10 x 1626	10 x 1648	Z 64
10 x 1651	10 x 1673	Z 65
10 x 1675	10 x 1697	Z 66
10 x 1700	10 x 1722	Z 67
10 x 1725	10 x 1747	Z 68
10 x 1750	10 x 1772	Z 69
10 x 1775	10 x 1797	Z 70
10 x 1800	10 x 1822	Z 71
10 x 1850	10 x 1872	Z 73
10 x 1900	10 x 1922	Z 75
10 x 1975	10 x 1997	Z 78
10 x 2000	10 x 2022	Z 79
10 x 2120	10 x 2142	Z 83 1/2
10 x 2240	10 x 2262	Z 88
10 x 2360	10 x 2382	Z 93
10 x 2500	10 x 2522	Z 98
A/13		
13 x 407	13 x 437	A 16
13 x 457	13 x 487	A 18
13 x 480	13 x 510	A 19
13 x 508	13 x 538	A 20
13 x 535	13 x 565	A 21
13 x 560	13 x 590	A 22
13 x 575	13 x 605	A 23
13 x 600	13 x 630	A 23 1/2
13 x 610	13 x 640	A 24
13 x 630	13 x 660	A 25
13 x 650	13 x 680	A 26
13 x 670	13 x 700	A 26 1/2
13 x 686	13 x 716	A 27
13 x 700	13 x 730	A 27 1/2

Description L_i	Description L_d	Belt no.
13 x 710	13 x 740	A 28
13 x 730	13 x 760	A 29
13 x 750	13 x 780	A 29 1/2
13 x 767	13 x 797	A 30
13 x 775	13 x 805	A 31
13 x 800	13 x 830	A 31 1/2
13 x 813	13 x 843	A 32
13 x 825	13 x 855	A 32 1/2
13 x 841	13 x 871	A 33
13 x 850	13 x 880	A 34
13 x 875	13 x 905	A 34 1/2
13 x 889	13 x 919	A 35
13 x 900	13 x 930	A 35 1/2
13 x 914	13 x 944	A 36
13 x 925	13 x 955	A 37
13 x 950	13 x 980	A 37 1/2
13 x 965	13 x 995	A 38
13 x 975	13 x 1005	A 38 1/2
13 x 1000	13 x 1030	A 39
13 x 1016	13 x 1046	A 40
13 x 1030	13 x 1060	A 40 1/2
13 x 1041	13 x 1071	A 41
13 x 1050	13 x 1080	A 41 1/2
13 x 1060	13 x 1090	A 42
13 x 1075	13 x 1105	A 42 1/2
13 x 1100	13 x 1130	A 43
13 x 1105	13 x 1135	A 43 1/2
13 x 1120	13 x 1150	A 44
13 x 1143	13 x 1173	A 45
13 x 1150	13 x 1180	A 45 1/2
13 x 1168	13 x 1198	A 46
13 x 1180	13 x 1210	A 46 1/2
13 x 1200	13 x 1230	A 47
13 x 1215	13 x 1245	A 47 1/2
13 x 1220	13 x 1250	A 48
13 x 1225	13 x 1255	A 48 1/2
13 x 1250	13 x 1280	A 49
13 x 1270	13 x 1300	A 50
13 x 1300	13 x 1330	A 51
13 x 1320	13 x 1350	A 52
13 x 1350	13 x 1380	A 53
13 x 1375	13 x 1405	A 54
13 x 1400	13 x 1430	A 55
13 x 1422	13 x 1452	A 56
13 x 1450	13 x 1480	A 57
13 x 1475	13 x 1505	A 58
13 x 1500	13 x 1530	A 59
13 x 1525	13 x 1555	A 60
13 x 1550	13 x 1580	A 61
13 x 1575	13 x 1605	A 62
13 x 1600	13 x 1630	A 63
13 x 1625	13 x 1655	A 64

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_i	Description L_d	Belt no.
13 x 1650	13 x 1680	A 65
13 x 1676	13 x 1706	A 66
13 x 1700	13 x 1730	A 67
13 x 1725	13 x 1755	A 68
13 x 1750	13 x 1780	A 69
13 x 1775	13 x 1805	A 70
13 x 1800	13 x 1830	A 71
13 x 1825	13 x 1855	A 72
13 x 1854	13 x 1884	A 73
13 x 1880	13 x 1910	A 74
13 x 1900	13 x 1930	A 75
13 x 1930	13 x 1960	A 76
13 x 1956	13 x 1986	A 77
13 x 1980	13 x 2010	A 78
13 x 2000	13 x 2030	A 79
13 x 2032	13 x 2062	A 80
13 x 2060	13 x 2090	A 81
13 x 2083	13 x 2113	A 82
13 x 2100	13 x 2130	A 83
13 x 2120	13 x 2150	A 83 1/2
13 x 2134	13 x 2164	A 84
13 x 2150	13 x 2180	A 84 1/2
13 x 2160	13 x 2190	A 85
13 x 2185	13 x 2215	A 86
13 x 2200	13 x 2230	A 86 1/2
13 x 2210	13 x 2240	A 87
13 x 2240	13 x 2270	A 88
13 x 2261	13 x 2291	A 89
13 x 2286	13 x 2316	A 90
13 x 2311	13 x 2341	A 91
13 x 2337	13 x 2367	A 92
13 x 2360	13 x 2390	A 93
13 x 2388	13 x 2418	A 94
13 x 2413	13 x 2443	A 95
13 x 2438	13 x 2468	A 96
13 x 2464	13 x 2494	A 97
13 x 2500	13 x 2530	A 98
13 x 2540	13 x 2570	A 100
13 x 2591	13 x 2621	A 102
13 x 2650	13 x 2680	A 104
13 x 2667	13 x 2697	A 105
13 x 2725	13 x 2755	A 107
13 x 2743	13 x 2773	A 108
13 x 2800	13 x 2830	A 110
13 x 2845	13 x 2875	A 112
13 x 2896	13 x 2926	A 114
13 x 2946	13 x 2976	A 116
13 x 3000	13 x 3030	A 118
13 x 3048	13 x 3078	A 120
13 x 3150	13 x 3180	A 124
13 x 3250	13 x 3280	A 128
13 x 3350	13 x 3380	A 132
13 x 3454	13 x 3484	A 136
13 x 3550	13 x 3580	A 140
13 x 3658	13 x 3688	A 144
13 x 3750	13 x 3780	A 148
13 x 4000	13 x 4030	A 158
13 x 4250	13 x 4280	A 167
13 x 4572	13 x 4602	A 180
13 x 4750	13 x 4780	A 187
13 x 5000	13 x 5030	A 197
B/17		
17 x 570	17 x 610	B 23
17 x 615	17 x 655	B 24
17 x 630	17 x 670	B 25
17 x 650	17 x 690	B 26
17 x 670	17 x 710	B 26 1/2
17 x 686	17 x 726	B 27
17 x 710	17 x 750	B 28
17 x 725	17 x 765	B 29
17 x 750	17 x 790	B 30
17 x 775	17 x 815	B 31
17 x 800	17 x 840	B 32
17 x 825	17 x 865	B 32 1/2
17 x 836	17 x 876	B 33
17 x 850	17 x 890	B 34
17 x 875	17 x 915	B 34 1/2
17 x 889	17 x 929	B 35
17 x 900	17 x 940	B 36
17 x 925	17 x 965	B 37
17 x 950	17 x 990	B 37 1/2
17 x 965	17 x 1005	B 38
17 x 975	17 x 1015	B 38 1/2
17 x 1000	17 x 1040	B 39
17 x 1016	17 x 1056	B 40
17 x 1030	17 x 1070	B 40 1/2
17 x 1040	17 x 1080	B 41
17 x 1050	17 x 1090	B 41 1/2
17 x 1060	17 x 1100	B 42
17 x 1075	17 x 1115	B 42 1/2
17 x 1090	17 x 1130	B 43
17 x 1100	17 x 1140	B 43 1/4
17 x 1120	17 x 1160	B 44
17 x 1150	17 x 1190	B 45
17 x 1163	17 x 1203	B 45 1/2
17 x 1175	17 x 1215	B 46
17 x 1180	17 x 1220	B 46 1/2
17 x 1200	17 x 1240	B 47
17 x 1215	17 x 1255	B 48
17 x 1225	17 x 1265	B 48 1/2
17 x 1250	17 x 1290	B 49
17 x 1275	17 x 1315	B 50
17 x 1300	17 x 1340	B 51
17 x 1320	17 x 1360	B 52

Description L_i	Description L_d	Belt no.	Description L_i	Description L_d	Belt no.
17 x 1335	17 x 1375	B 52 1/2	**17 x 2515**	17 x 2555	B 99
17 x 1350	17 x 1390	B 53	**17 x 2540**	17 x 2580	B 100
17 x 1360	17 x 1400	B 53 1/2	**17 x 2565**	17 x 2605	B 101
17 x 1372	17 x 1412	B 54	**17 x 2600**	17 x 2640	B 102
17 x 1400	17 x 1440	B 55	**17 x 2616**	17 x 2656	B 103
17 x 1422	17 x 1462	B 56	**17 x 2650**	17 x 2690	B 104
17 x 1450	17 x 1490	B 57	**17 x 2667**	17 x 2707	B 105
17 x 1473	17 x 1513	B 58	**17 x 2700**	17 x 2740	B 106
17 x 1500	17 x 1540	B 59	**17 x 2718**	17 x 2758	B 107
17 x 1525	17 x 1565	B 60	**17 x 2750**	17 x 2790	B 108
17 x 1550	17 x 1590	B 61	**17 x 2800**	17 x 2840	B 110
17 x 1575	17 x 1615	B 62	**17 x 2845**	17 x 2885	B 112
17 x 1600	17 x 1640	B 63	**17 x 2900**	17 x 2940	B 114
17 x 1625	17 x 1665	B 64	**17 x 2921**	17 x 2961	B 115
17 x 1650	17 x 1690	B 65	**17 x 2950**	17 x 2990	B 116
17 x 1676	17 x 1716	B 66	**17 x 3000**	17 x 3040	B 118
17 x 1700	17 x 1740	B 67	**17 x 3048**	17 x 3088	B 120
17 x 1725	17 x 1765	B 68	**17 x 3099**	17 x 3139	B 122
17 x 1750	17 x 1790	B 69	**17 x 3150**	17 x 3190	B 124
17 x 1761	17 x 1801	B 69 1/2	**17 x 3175**	17 x 3215	B 125
17 x 1775	17 x 1815	B 70	**17 x 3200**	17 x 3240	B 126
17 x 1800	17 x 1840	B 71	**17 x 3250**	17 x 3290	B 128
17 x 1829	17 x 1869	B 72	**17 x 3302**	17 x 3342	B 130
17 x 1850	17 x 1890	B 73	**17 x 3350**	17 x 3390	B 132
17 x 1880	17 x 1920	B 74	**17 x 3378**	17 x 3428	B 133
17 x 1900	17 x 1940	B 75	**17 x 3404**	17 x 3444	B 134
17 x 1930	17 x 1970	B 76	**17 x 3450**	17 x 3490	B 136
17 x 1950	17 x 1990	B 77	**17 x 3505**	17 x 3545	B 138
17 x 1981	17 x 2021	B 78	**17 x 3550**	17 x 3590	B 140
17 x 2000	17 x 2040	B 79	**17 x 3600**	17 x 3640	B 142
17 x 2032	17 x 2072	B 80	**17 x 3658**	17 x 3698	B 144
17 x 2060	17 x 2100	B 81	**17 x 3700**	17 x 3740	B 146
17 x 2083	17 x 2123	B 82	**17 x 3750**	17 x 3790	B 148
17 x 2100	17 x 2140	B 83	**17 x 3810**	17 x 3850	B 150
17 x 2120	17 x 2160	B 83 1/2	**17 x 3850**	17 x 3890	B 151
17 x 2134	17 x 2174	B 84	**17 x 3861**	17 x 3901	B 152
17 x 2160	17 x 2200	B 85	**17 x 3912**	17 x 3952	B 154
17 x 2200	17 x 2240	B 86	**17 x 3950**	17 x 3990	B 155
17 x 2210	17 x 2250	B 87	**17 x 3962**	17 x 4002	B 156
17 x 2240	17 x 2280	B 88	**17 x 4000**	17 x 4040	B 158
17 x 2261	17 x 2301	B 89	**17 x 4064**	17 x 4104	B 160
17 x 2286	17 x 2326	B 90	**17 x 4115**	17 x 4155	B 162
17 x 2300	17 x 2340	B 91	**17 x 4200**	17 x 4240	B 165
17 x 2337	17 x 2377	B 92	**17 x 4250**	17 x 4290	B 167
17 x 2360	17 x 2400	B 93	**17 x 4394**	17 x 4434	B 173
17 x 2388	17 x 2428	B 94	**17 x 4450**	17 x 4490	B 175
17 x 2400	17 x 2440	B 94 1/2	**17 x 4500**	17 x 4540	B 177
17 x 2413	17 x 2453	B 95	**17 x 4572**	17 x 4612	B 180
17 x 2438	17 x 2478	B 96	**17 x 4750**	17 x 4790	B 187
17 x 2450	17 x 2490	B 96 1/2	**17 x 4826**	17 x 4866	B 190
17 x 2465	17 x 2505	B 97	**17 x 4953**	17 x 4993	B 195
17 x 2500	17 x 2540	B 98	**17 x 5000**	17 x 5040	B 197

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_i	Description L_d	Belt no.
17 x 5300	17 x 5340	B 208
17 x 5334	17 x 5374	B 210
17 x 5600	17 x 5640	B 220
17 x 5715	17 x 5755	B 225
17 x 6000	17 x 6040	B 236
17 x 6096	17 x 6136	B 240
17 x 6300	17 x 6340	B 248
17 x 6477	17 x 6517	B 255
17 x 6700	17 x 6740	B 264
17 x 6858	17 x 6898	B 270
17 x 7000	17 x 7040	B 276
17 x 7100	17 x 7140	B 280
17 x 7620	17 x 7660	B 300
20		
20 x 900	20 x 950	-
20 x 1000	20 x 1050	-
20 x 1120	20 x 1170	-
20 x 1180	20 x 1230	-
20 x 1250	20 x 1300	-
20 x 1320	20 x 1370	-
20 x 1400	20 x 1450	-
20 x 1500	20 x 1550	-
20 x 1600	20 x 1650	-
20 x 1700	20 x 1750	-
20 x 1800	20 x 1850	-
20 x 1900	20 x 1950	-
20 x 2000	20 x 2050	-
20 x 2120	20 x 2170	-
20 x 2240	20 x 2290	-
20 x 2360	20 x 2410	-
20 x 2500	20 x 2550	-
20 x 2650	20 x 2700	-
20 x 2800	20 x 2850	-
20 x 3000	20 x 3050	-
20 x 3150	20 x 3200	-
20 x 3350	20 x 3400	-
20 x 3550	20 x 3600	-
20 x 3750	20 x 3800	-
20 x 4000	20 x 4050	-
20 x 4500	20 x 4550	-
20 x 5000	20 x 5050	-
20 x 6000	20 x 6050	-
C/22		
22 x 1090	22 x 1148	C 43
22 x 1200	22 x 1258	C 47
22 x 1215	22 x 1273	C 48
22 x 1250	22 x 1308	C 49
22 x 1295	22 x 1353	C 51
22 x 1320	22 x 1378	C 52
22 x 1350	22 x 1408	C 53
22 x 1375	22 x 1433	C 54
22 x 1400	22 x 1458	C 55

Description L_i	Description L_d	Belt no.
22 x 1425	22 x 1483	C 56
22 x 1450	22 x 1508	C 57
22 x 1475	22 x 1533	C 58
22 x 1500	22 x 1558	C 59
22 x 1524	22 x 1582	C 60
22 x 1550	22 x 1608	C 61
22 x 1574	22 x 1632	C 62
22 x 1600	22 x 1658	C 63
22 x 1650	22 x 1708	C 65
22 x 1676	22 x 1734	C 66
22 x 1700	22 x 1758	C 67
22 x 1727	22 x 1785	C 68
22 x 1750	22 x 1808	C 69
22 x 1778	22 x 1836	C 70
22 x 1800	22 x 1858	C 71
22 x 1829	22 x 1887	C 72
22 x 1854	22 x 1912	C 73
22 x 1880	22 x 1938	C 74
22 x 1900	22 x 1958	C 75
22 x 1930	22 x 1988	C 76
22 x 1956	22 x 2014	C 77
22 x 1981	22 x 2039	C 78
22 x 2000	22 x 2058	C 79
22 x 2032	22 x 2090	C 80
22 x 2060	22 x 2118	C 81
22 x 2083	22 x 2141	C 82
22 x 2108	22 x 2166	C 83
22 x 2120	22 x 2178	C 83 1/2
22 x 2134	22 x 2192	C 84
22 x 2159	22 x 2217	C 85
22 x 2184	22 x 2242	C 86
22 x 2210	22 x 2268	C 87
22 x 2240	22 x 2298	C 88
22 x 2261	22 x 2319	C 89
22 x 2286	22 x 2344	C 90
22 x 2311	22 x 2369	C 91
22 x 2337	22 x 2395	C 92
22 x 2360	22 x 2418	C 93
22 x 2388	22 x 2446	C 94
22 x 2413	22 x 2471	C 95
22 x 2438	22 x 2496	C 96
22 x 2450	22 x 2508	C 96 1/2
22 x 2464	22 x 2522	C 97
22 x 2500	22 x 2558	C 98
22 x 2525	22 x 2583	C 99
22 x 2540	22 x 2598	C 100
22 x 2560	22 x 2618	C 101
22 x 2591	22 x 2649	C 102
22 x 2616	22 x 2674	C 103
22 x 2642	22 x 2700	C 104
22 x 2667	22 x 2725	C 105
22 x 2692	22 x 2750	C 106


Description L_i	Description L_d	Belt no.
22 x 2718	22 x 2776	C 107
22 x 2750	22 x 2808	C 108
22 x 2769	22 x 2827	C 109
22 x 2800	22 x 2858	C 110
22 x 2845	22 x 2903	C 112
22 x 2896	22 x 2954	C 114
22 x 2921	22 x 2979	C 115
22 x 2950	22 x 3008	C 116
22 x 2965	22 x 3023	C 117
22 x 3000	22 x 3058	C 118
22 x 3048	22 x 3106	C 120
22 x 3099	22 x 3157	C 122
22 x 3150	22 x 3208	C 124
22 x 3175	22 x 3233	C 125
22 x 3200	22 x 3258	C 126
22 x 3250	22 x 3308	C 128
22 x 3302	22 x 3360	C 130
22 x 3350	22 x 3408	C 132
22 x 3404	22 x 3462	C 134
22 x 3429	22 x 3487	C 135
22 x 3450	22 x 3508	C 136
22 x 3505	22 x 3563	C 138
22 x 3550	22 x 3608	C 140
22 x 3607	22 x 3665	C 142
22 x 3658	22 x 3716	C 144
22 x 3700	22 x 3758	C 146
22 x 3750	22 x 3808	C 148
22 x 3810	22 x 3868	C 150
22 x 3861	22 x 3919	C 152
22 x 3912	22 x 3970	C 154
22 x 3962	22 x 4020	C 156
22 x 4000	22 x 4058	C 158
22 x 4064	22 x 4122	C 160
22 x 4100	22 x 4158	C 162
22 x 4140	22 x 4198	C 163
22 x 4191	22 x 4249	C 165
22 x 4216	22 x 4274	C 166
22 x 4250	22 x 4308	C 167
22 x 4267	22 x 4325	C 168
22 x 4318	22 x 4376	C 170
22 x 4394	22 x 4452	C 173
22 x 4445	22 x 4503	C 175
22 x 4500	22 x 4558	C 177
22 x 4572	22 x 4630	C 180
22 x 4699	22 x 4757	C 185
22 x 4750	22 x 4808	C 187
22 x 4826	22 x 4884	C 190
22 x 4953	22 x 5011	C 195
22 x 5000	22 x 5058	C 197
22 x 5080	22 x 5138	C 200
22 x 5182	22 x 5240	C 204
22 x 5300	22 x 5358	C 208
22 x 5334	22 x 5392	C 210
22 x 5461	22 x 5519	C 215
22 x 5600	22 x 5658	C 220
22 x 5715	22 x 5773	C 225
22 x 6000	22 x 6058	C 236
22 x 6096	22 x 6154	C 240
22 x 6300	22 x 6358	C 248
22 x 6477	22 x 6535	C 255
22 x 6700	22 x 6758	C 264
22 x 6858	22 x 6916	C 270
22 x 7100	22 x 7158	C 280
22 x 7239	22 x 7297	C 285
22 x 7500	22 x 7558	C 295
22 x 7620	22 x 7678	C 300
22 x 8000	22 x 8058	C 315
22 x 8382	22 x 8440	C 330
22 x 8763 •	22 x 8821	C 345
22 x 9144	22 x 9202	C 360
25		
25 x 1400	25 x 1460	-
25 x 1500	25 x 1560	-
25 x 1600	25 x 1660	-
25 x 1700	25 x 1760	-
25 x 1800	25 x 1860	-
25 x 1900	25 x 1960	-
25 x 2000	25 x 2060	-
25 x 2120	25 x 2180	-
25 x 2240	25 x 2300	-
25 x 2360	25 x 2420	-
25 x 2500	25 x 2560	-
25 x 2650	25 x 2710	-
25 x 2700	25 x 2760	-
25 x 2800	25 x 2860	-
25 x 3000	25 x 3060	-
25 x 3150	25 x 3210	-
25 x 3350	25 x 3410	-
25 x 3550	25 x 3610	-
25 x 3750	25 x 3810	-
25 x 4000	25 x 4060	-
25 x 4250	25 x 4310	-
25 x 4500	25 x 4560	-
25 x 4750	25 x 4810	-
25 x 5000	25 x 5060	-
25 x 5300	25 x 5360	-
25 x 5600	25 x 5660	-
25 x 6000	25 x 6060	-
25 x 6300	25 x 6360	-
25 x 6700	25 x 6760	-
25 x 7100	25 x 7160	-
25 x 7500	25 x 7560	-
25 x 8000	25 x 8060	-
25 x 8500	25 x 8560	-

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_i	Description L_d	Belt no.
25 x 9000	25 x 9060	-
D/32		
32 x 2000	32 x 2075	D 79
32 x 2500	32 x 2575	D 98
32 x 2650	32 x 2725	D 104
32 x 2800	32 x 2875	D 110
32 x 3000	32 x 3075	D 118
32 x 3048	32 x 3123	D 120
32 x 3150	32 x 3225	D 124
32 x 3251	32 x 3326	D 128
32 x 3350	32 x 3425	D 132
32 x 3425	32 x 3500	D 135
32 x 3454	32 x 3529	D 136
32 x 3550	32 x 3625	D 140
32 x 3658	32 x 3733	D 144
32 x 3750	32 x 3825	D 148
32 x 3925	32 x 4000	D 154
32 x 4000	32 x 4075	D 158
32 x 4115	32 x 4190	D 162
32 x 4250	32 x 4325	D 167
32 x 4394	32 x 4469	D 173
32 x 4500	32 x 4575	D 177
32 x 4572	32 x 4647	D 180
32 x 4750	32 x 4825	D 187
32 x 4953	32 x 5028	D 195
32 x 5000	32 x 5075	D 197
32 x 5300	32 x 5375	D 208
32 x 5334	32 x 5409	D 210
32 x 5600	32 x 5675	D 220
32 x 5715	32 x 5790	D 225
32 x 6000	32 x 6075	D 236
32 x 6096	32 x 6171	D 240
32 x 6300	32 x 6375	D 248
32 x 6477	32 x 6562	D 255
32 x 6700	32 x 6775	D 264
32 x 6858	32 x 6933	D 270
32 x 7100	32 x 7175	D 280
32 x 7500	32 x 7575	D 295
32 x 7620	32 x 7695	D 300
32 x 8000	32 x 8075	D 315
32 x 8382	32 x 8457	D 330
32 x 8500	32 x 8575	D 335
32 x 9000	32 x 9075	D 354
32 x 9144	32 x 9221	D 360
32 x 9500	32 x 9575	D 374
32 x 10000	32 x 10075	D 394
32 x 11200	32 x 11275	D 441
32 x 12192 •	32 x 12267	D 480
E/40		
40 x 3000 •	40 x 3080	E 118
40 x 4000 •	40 x 4080	E 158
40 x 5000	40 x 5080	E 197
40 x 5600	40 x 5680	E 220
40 x 6000 •	40 x 6080	E 236
40 x 6096 •	40 x 6096	E 240
40 x 6300 •	40 x 6380	E 248
40 x 7100	40 x 7180	E 280
40 x 7500 •	40 x 7580	E 295
40 x 8000	40 x 8080	E 315
40 x 9000	40 x 9080	E 354
40 x 10000	40 x 10080	E 394
40 x 11200	40 x 11280	E 441
40 x 12500	40 x 12580	E 492





Profiles:
X10 / ZX, X13 / AX,
X17 / BX, X22 / CX

optibelt SUPER TX M=S

CLASSICAL V-BELTS
raw edge, moulded cogged as per DIN 2215 and ISO 4184



	X10 / ZX	X13 / AX	X17 / BX	X22 / CX
Nominal length	Datum length L_d	Datum length L_d	Datum length L_d	Datum length L_d
Nominal lengths unit	mm	mm	mm	mm
Height of belt h [mm]	6.00	8.00	11.00	14.00
Width of belt b [mm]	10.00	13.00	17.00	22.00
Weight [kg/m]	0.062	0.099	0.165	0.276
Max. manufacturing length [mm]	3550	3550	3550	3550
Min. pulley diameter [mm]	40.00	63.00	90.00	140.00
Min. order quantity for non standard lengths	on request	on request	on request	on request
Bundle quantity up to 2300 mm	25 pieces	25 pieces	10 pieces	10 pieces
Bundle quantity up to 3550 mm	10 pieces	10 pieces	10 pieces	5 pieces

• Non stock items
Further sizes are available on request.

All the sizes in bold type can be combined, without further measurement, to form sets if the nominal lengths are the same. (M=S)

Ordering example: X10 x 597
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_d	Belt no.
X10 / ZX	
X10 x 597	ZX 23
X10 x 622	ZX 24
X10 x 652	ZX 25
X10 x 672	ZX 26
X10 x 692	ZX 27
X10 x 732	ZX 28
X10 x 752	ZX 29
X10 x 772	ZX 29 1/2
X10 x 822	ZX 31 1/2
X10 x 842	ZX 32
X10 x 872	ZX 33 1/2
X10 x 847	ZX 33
X10 x 897	ZX 35
X10 x 922	ZX 36
X10 x 947	ZX 37
X10 x 972	ZX 38
X10 x 1038 •	ZX 40
X10 x 1052	ZX 40 1/2
X10 x 1082 •	ZX 42
X10 x 1202 •	ZX 46 1/2
X10 x 1342 •	ZX 52
X10 x 1422 •	ZX 55
X10 x 1522 •	ZX 59
X13 / AX	
X13 x 590	AX 22
X13 x 605	AX 23
X13 x 630	AX 23 1/2
X13 x 640	AX 24
X13 x 660	AX 25
X13 x 700	AX 26 1/2
X13 x 716	AX 27
X13 x 740	AX 28
X13 x 760	AX 29
X13 x 797	AX 30
X13 x 805	AX 31
X13 x 843	AX 32
X13 x 871	AX 33
X13 x 880	AX 34
X13 x 919	AX 35
X13 x 930	AX 35 1/2
X13 x 944	AX 36
X13 x 955	AX 37
X13 x 980	AX 37 1/2
X13 x 995	AX 38
X13 x 1030	AX 39
X13 x 1046	AX 40
X13 x 1080	AX 41 1/2
X13 x 1090	AX 42
X13 x 1130	AX 43
X13 x 1150	AX 44
X13 x 1180	AX 45 1/2

Description L_d	Belt no.
X13 x 1198	AX 46
X13 x 1230	AX 47
X13 x 1250	AX 48
X13 x 1280	AX 49
X13 x 1300	AX 50
X13 x 1330	AX 51
X13 x 1350	AX 52
X13 x 1380	AX 53
X13 x 1405	AX 54
X13 x 1430	AX 55
X13 x 1452	AX 56
X13 x 1480	AX 57
X13 x 1505	AX 58
X13 x 1530	AX 59
X13 x 1605	AX 62
X13 x 1630	AX 63
X13 x 1655 •	AX 64
X13 x 1706 •	AX 66
X13 x 1730	AX 67
X13 x 1780 •	AX 69
X13 x 1805	AX 70
X13 x 1830	AX 71
X13 x 1884 •	AX 73
X13 x 1930	AX 75
X13 x 2030	AX 79
X13 x 2062 •	AX 80
X13 x 2090 •	AX 81
X13 x 2113 •	AX 82
X13 x 2130 •	AX 83
X13 x 2230 •	AX 86
X13 x 2240 •	AX 87
X13 x 2270	AX 88
X13 x 2291 •	AX 89
X13 x 2376 •	AX 92
X13 x 2390	AX 93
X13 x 2468 •	AX 96
X13 x 2530 •	AX 98
X13 x 2680 •	AX 104
X13 x 2830 •	AX 110
X13 x 3030 •	AX 118
X13 x 3180 •	AX 124
X13 x 3380 •	AX 132
X17 / BX	
X17 x 610	BX 23
X17 x 670	BX 25
X17 x 690	BX 26
X17 x 750	BX 28
X17 x 765	BX 29
X17 x 790	BX 30
X17 x 815	BX 31
X17 x 840	BX 32
X17 x 876	BX 33


Description L_d	Belt no.
X17 x 890	BX 34
X17 x 915	BX 34 1/2
X17 x 929	BX 35
X17 x 940	BX 36
X17 x 965	BX 37
X17 x 1005	BX 38
X17 x 1040	BX 39
X17 x 1056	BX 40
X17 x 1080	BX 41
X17 x 1100	BX 42
X17 x 1130	BX 43
X17 x 1160	BX 44
X17 x 1190	BX 45
X17 x 1203	BX 45 1/2
X17 x 1215	BX 46
X17 x 1220	BX 46 1/2
X17 x 1240	BX 47
X17 x 1255	BX 48
X17 x 1290	BX 49
X17 x 1315	BX 50
X17 x 1340	BX 51
X17 x 1360	BX 52
X17 x 1390	BX 53
X17 x 1412	BX 54
X17 x 1440	BX 55
X17 x 1462	BX 56
X17 x 1490	BX 57
X17 x 1513	BX 58
X17 x 1540	BX 59
X17 x 1565	BX 60
X17 x 1590	BX 61
X17 x 1615	BX 62
X17 x 1640	BX 63
X17 x 1665	BX 64
X17 x 1690 •	BX 65
X17 x 1716 •	BX 66
X17 x 1740	BX 67
X17 x 1790	BX 69
X17 x 1840	BX 71
X17 x 1890	BX 73
X17 x 1940	BX 75
X17 x 2040	BX 79
X17 x 2072 •	BX 80
X17 x 2100 •	BX 81
X17 x 2123 •	BX 82
X17 x 2140 •	BX 83
X17 x 2174 •	BX 84
X17 x 2240 •	BX 86
X17 x 2250 •	BX 87
X17 x 2280	BX 88
X17 x 2301 •	BX 89
X17 x 2340 •	BX 91

Description L_d	Belt no.				
X17 x 2377 •	BX 92				
X17 x 2400	BX 93				
X17 x 2478 •	BX 96				
X17 x 2505 •	BX 97				
X17 x 2540	BX 98				
X17 x 2656 •	BX 103				
X17 x 2690 •	BX 104				
X17 x 2707 •	BX 105				
X17 x 2740 •	BX 106				
X17 x 2840 •	BX 110				
X17 x 3040 •	BX 118				
X17 x 3190 •	BX 124				
X22 / CX					
X22 x 1058 •	CX 39				
X22 x 1148 •	CX 43				
X22 x 1273 •	CX 48				
X22 x 1308 •	CX 49				
X22 x 1378 •	CX 52				
X22 x 1458 •	CX 55				
X22 x 1508 •	CX 57				
X22 x 1558 •	CX 59				
X22 x 1582 •	CX 60				
X22 x 1608 •	CX 61				
X22 x 1632 •	CX 62				
X22 x 1658 •	CX 63				
X22 x 1758 •	CX 67				
X22 x 1785 •	CX 68				
X22 x 1811 •	CX 69				
X22 x 1836 •	CX 70				
X22 x 1858 •	CX 71				
X22 x 1958 •	CX 75				
X22 x 2014 •	CX 77				
X22 x 2058 •	CX 79				
X22 x 2090 •	CX 80				
X22 x 2118 •	CX 81				
X22 x 2217 •	CX 85				
X22 x 2298 •	CX 88				
X22 x 2344 •	CX 90				
X22 x 2418 •	CX 93				
X22 x 2471 •	CX 95				
X22 x 2496 •	CX 96				
X22 x 2558 •	CX 98				
X22 x 2598 •	CX 100				
X22 x 2725 •	CX 105				
X22 x 2858 •	CX 110				
X22 x 3058 •	CX 118				
X22 x 3208 •	CX 124				
X22 x 3408 •	CX 132				

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS





Profiles:
AA/HAA, BB/HBB, CC/HCC, 22x22

optibelt DK

DOUBLE V-BELTS

	AA/HAA	BB/HBB	CC/HCC	22x22
Nominal length	Reference length L_b	Reference length L_b	Reference length L_b	Reference length L_b
Nominal lengths unit	mm	mm	mm	mm
Height of belt h [mm]	10.00	13.00	17.00	22.00
Width of belt b [mm]	13.00	17.00	22.00	22.00
Intermediate lengths and special versions [mm]	1350 to 6000	1600 to 12700	2000 to 19500	on request
Max. fabrication length [mm]	6000	12700	19500	on request
Minimum pulley diameter [mm]	80.00	125.00	224.00	280.00
Minimum order quantity for intermediate lengths from	on request	on request	on request	on request
Minimum order quantity for special versions from	on request	on request	on request	on request
Conversion from belt no. to reference length	Belt No. x 25.4 = mm + 53 mm	(up to Belt No. 210) Belt No. x 25.4 = mm + 74 mm (above Belt No. 210) Belt No. x 25.4 = mm + 36 mm	(up to Belt No. 210) Belt No. x 25.4 = mm + 107 mm (above Belt No. 210) Belt No. x 25.4 = mm + 56 mm	-

• Non stock items
Prices for special constructions on request. Prices for profiles DD/HDD and 25x22 on request

Ordering example: AA 77
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description	Belt no.
AA/HAA	
HAA 2000	AA 77
HAA 2032	AA 78
HAA 2370	AA 91
HAA 2500	AA 96
HAA 2650	AA 102
HAA 2667	AA 103
HAA 2800	AA 108
HAA 3300	AA 128
HAA 3800	AA 147 1/2
HAA 3920	AA 152
HAA 4200	AA 163
BB/HBB	
HBB 1980	BB 75
HBB 2081	BB 79
HBB 2180	BB 83
HBB 2233	BB 85
HBB 2300	BB 88
HBB 2370	BB 90
HBB 2462	BB 94
HBB 2500	BB 95
HBB 2540	BB 97
HBB 2600	BB 99
HBB 2614	BB 100
HBB 2650	BB 101
HBB 2740	BB 105
HBB 2800	BB 107
HBB 2850	BB 109
HBB 2920	BB 112
HBB 3000	BB 115
HBB 3030	BB 116
HBB 3150	BB 121
HBB 3250	BB 125
HBB 3280	BB 126
HBB 3325	BB 128
HBB 3390	BB 131
HBB 3450	BB 133
HBB 3500	BB 135
HBB 3550	BB 137
HBB 3730	BB 144
HBB 3750	BB 145
HBB 4010	BB 155
HBB 4040	BB 156
HBB 4200	BB 162
HBB 4470	BB 173
HBB 4500	BB 174
HBB 4750	BB 184
HBB 5000	BB 194
HBB 5639	BB 221
HBB 6900	BB 270
CC/HCC	
HCC 3200	CC 122
HCC 3310	CC 126
HCC 3765	CC 144
HCC 4000	CC 153
HCC 4216	CC 162
HCC 4300	CC 165
HCC 4500	CC 173
HCC 4679	CC 180
HCC 5000	CC 193
HCC 5300	CC 204
HCC 5750	CC 224
22X22	
22X22 5180	-
22X22 5850	-





Profiles:
SPZ, SPA, SPB, SPC



Profiles:
3V, 5V, 8V

optibelt KB SK

KRAFTBANDS WITH WEDGE BELTS

	SPZ	SPA	SPC	SPB	3V	5V	8V
Nominal length	Datum length L_d	Datum length L_d	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	mm	mm	in	in	in
Height of belt h [mm]	10.50	12.50	22.60	15.60	9.90	15.10	25.50
Width per rib [mm]	9.70	12.70	22.00	16.50	9.00	15.00	25.00
Weight per rib [kg/m]	0.120	0.166	0.555	0.261	0.122	0.252	0.693
Max. fabrication length [mm]	4500	4500	12500	10000	4250	10000	15000
Minimum pulley diameter [mm]	80.00	112.00	250.00	160.00	84.00	171.00	355.00
Minimum order quantity for non-listed sizes from	1800 mm L_d = 5 ribs = 8 pcs. 4 ribs = 10 pcs. 3 ribs = 14 pcs. 2 ribs = 21 pcs. or a multiple	1800 mm L_d = 5 ribs = 6 pcs. 4 ribs = 8 pcs. 3 ribs = 11 pcs. 2 ribs = 16 pcs. or a multiple	2120 mm L_d = 5 ribs = 3 pcs. 4 ribs = 4 pcs. 3 ribs = 5 pcs. 2 ribs = 8 pcs. or a multiple	2000 mm L_d = 5 ribs = 4 pcs. 4 ribs = 5 pcs. 3 ribs = 7 pcs. 2 ribs = 11 pcs. or a multiple	1800 mm L_a = 5 ribs = 9 pcs. 4 ribs = 12 pcs. 3 ribs = 16 pcs. 2 ribs = 24 pcs. or a multiple	1800 mm L_a = 5 ribs = 6 pcs. 4 ribs = 7 pcs. 3 ribs = 10 pcs. 2 ribs = 15 pcs. or a multiple	2540 mm L_a = 5 ribs = 3 pcs. 4 ribs = 3 pcs. 3 ribs = 5 pcs. 2 ribs = 7 pcs. or a multiple
Minimum order quantity for non-listed sizes from	2050 mm L_d = 5 ribs = 7 pcs. 4 ribs = 9 pcs. 3 ribs = 12 pcs. 2 ribs = 18 pcs. or a multiple	2050 mm L_d = 5 ribs = 5 pcs. 4 ribs = 7 pcs. 3 ribs = 9 pcs. 2 ribs = 14 pcs. or a multiple	-	-	-	-	-
Intermediate lengths from	1800 mm L_d	1800 mm L_d	2120 mm L_d	2000 mm L_d	1800 mm L_a	1800 mm L_a	2540 mm L_a

• Non stock items
Further sizes are available on request.
datum length L_d = pitch length L_w

Minimum order quantities for special lengths and for aramid constructions on request.
optibelt KB with SPZ,SPA,SPB,SPC profiles can be used with standard V-grooved pulleys as per DIN 2211 and ISO 4183.
Raw edge, moulded cogged kraftbands - profiles XPZ, XPA, XPB, XPC on request.

Ordering example: 3-SPZ 1250
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description L_d
SPZ
SPZ KB 1250
SPZ KB 1400
SPZ KB 1500
SPZ KB 1600
SPZ KB 1700
SPZ KB 1800
SPZ KB 1900
SPZ KB 2000
SPZ KB 2120
SPZ KB 2240
SPZ KB 2360
SPZ KB 2500
SPZ KB 2650
SPZ KB 2800
SPZ KB 3000
SPZ KB 3150 •
SPZ KB 3350 •
SPZ KB 3550 •
SPA
SPA KB 1250
SPA KB 1400
SPA KB 1500
SPA KB 1600
SPA KB 1700
SPA KB 1800
SPA KB 1900
SPA KB 2000
SPA KB 2120
SPA KB 2240
SPA KB 2360
SPA KB 2500
SPA KB 2650
SPA KB 2800
SPA KB 3000
SPA KB 3150
SPA KB 3350
SPA KB 3550
SPA KB 3750
SPA KB 4000
SPA KB 4250
SPA KB 4500
SPB
SPB KB 2000
SPB KB 2120
SPB KB 2240
SPB KB 2360
SPB KB 2500
SPB KB 2650
SPB KB 2800
SPB KB 3000
SPB KB 3150

Description L_d
SPB KB 3350
SPB KB 3550
SPB KB 3750
SPB KB 4000
SPB KB 4250
SPB KB 4500
SPB KB 4750
SPB KB 5000
SPB KB 5300
SPB KB 5600
SPB KB 6000
SPB KB 6300
SPB KB 6700
SPB KB 7100
SPB KB 7500
SPB KB 8000
SPC
SPC KB 3000
SPC KB 3150
SPC KB 3350
SPC KB 3550
SPC KB 3750
SPC KB 4000
SPC KB 4250
SPC KB 4500
SPC KB 4750
SPC KB 5000
SPC KB 5300
SPC KB 5600
SPC KB 6000
SPC KB 6300
SPC KB 6700
SPC KB 7100
SPC KB 7500
SPC KB 8000
SPC KB 8500
SPC KB 9000
SPC KB 9500
SPC KB 10000
SPC KB 10600
SPC KB 11200
SPC KB 11800
SPC KB 12500

Description inches	Description metric
3V	
3V KB 500	9J 1270
3V KB 530	9J 1346
3V KB 560	9J 1422
3V KB 600	9J 1524
3V KB 630	9J 1600
3V KB 670	9J 1702
3V KB 710	9J 1803
3V KB 750	9J 1905
3V KB 800	9J 2032
3V KB 850	9J 2159
3V KB 900	9J 2286
3V KB 950	9J 2413
3V KB 1000	9J 2540
3V KB 1060	9J 2692
3V KB 1120	9J 2845
3V KB 1180	9J 2997
3V KB 1250	9J 3175
3V KB 1320	9J 3353
3V KB 1400	9J 3556
5V	
5V KB 560	15J 1422
5V KB 600	15J 1524
5V KB 630	15J 1600
5V KB 670	15J 1702
5V KB 710	15J 1803
5V KB 750	15J 1905
5V KB 800	15J 2032
5V KB 850	15J 2159
5V KB 900	15J 2286
5V KB 950	15J 2413
5V KB 1000	15J 2540
5V KB 1060	15J 2692
5V KB 1120	15J 2845
5V KB 1180	15J 2997
5V KB 1250	15J 3175
5V KB 1320	15J 3353
5V KB 1400	15J 3556
5V KB 1500	15J 3810
5V KB 1600	15J 4064
5V KB 1700	15J 4318
5V KB 1800	15J 4572
5V KB 1900	15J 4826
5V KB 2000	15J 5080
5V KB 2120	15J 5385
5V KB 2240	15J 5690
5V KB 2360	15J 5994
5V KB 2500	15J 6350
5V KB 2650	15J 6731
5V KB 2800	15J 7112
5V KB 3000	15J 7620
5V KB 3150	15J 8001

Description inches	Description metric				
5V KB 3350	15J 8509				
5V KB 3550	15J 9017				
8V					
8V KB 1000	25J 2540				
8V KB 1060	25J 2692				
8V KB 1120	25J 2845				
8V KB 1180	25J 2997				
8V KB 1250	25J 3175				
8V KB 1320	25J 3353				
8V KB 1400	25J 3556				
8V KB 1500	25J 3810				
8V KB 1600	25J 4064				
8V KB 1700	25J 4318				
8V KB 1800	25J 4572				
8V KB 1900	25J 4826				
8V KB 2000	25J 5080				
8V KB 2120	25J 5385				
8V KB 2240	25J 5690				
8V KB 2360	25J 5994				
8V KB 2500	25J 6350				
8V KB 2650	25J 6731				
8V KB 2800	25J 7112				
8V KB 3000	25J 7620				
8V KB 3150	25J 8001				
8V KB 3350	25J 8509				
8V KB 3550	25J 9017				
8V KB 3750	25J 9525				
8V KB 4000	25J 10160				
8V KB 4250	25J 10795				
8V KB 4500	25J 11430				
8V KB 4750	25J 12065				

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS



optibelt KB RED POWER 3

HIGH-PERFORMANCE KRAFTBANDS
maintenance-free



Profiles:
SPB, SPC



Profiles:
3V, 5V, 8V



RED POWER 3 CLASSIC
Profiles on request

	SPB	SPC	3V	5V	8V
Nominal length	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	in	in	in
Height of belt h [mm]	15.60	22.60	9.90	15.10	25.50
Width per rib [mm]	16.50	22.00	9.00	15.00	25.00
Weight per rib [kg/m]	0.261	0.555	0.122	0.252	0.693
Max. fabrication length [mm]	10000	10000	4000	10000	18000
Minimum pulley diameter [mm]	160.00	250.00	84.00	171.00	355.00
Minimum order quantity for non-listed sizes from	2000 mm L_d = 5 ribs = 12 pcs. 4 ribs = 16 pcs. 3 ribs = 20 pcs. 2 ribs = 32 pcs. or a multiple	3000 mm L_d = 5 ribs = 4 pcs. 4 ribs = 5 pcs. 3 ribs = 6 pcs. 2 ribs = 10 pcs. or a multiple	1270 mm L_a = 5 ribs = 18 pcs. 4 ribs = 24 pcs. 3 ribs = 32 pcs. 2 ribs = 48 pcs. or a multiple	1270 mm L_a = 5 ribs = 12 pcs. 4 ribs = 14 pcs. 3 ribs = 20 pcs. 2 ribs = 30 pcs. or a multiple	2540 mm L_a = 5 ribs = 3 pcs. 4 ribs = 3 pcs. 3 ribs = 5 pcs. 2 ribs = 7 pcs. or a multiple
Minimum order quantity for non-listed sizes from	4000 mm L_d = 5 ribs = 5 pcs. 4 ribs = 6 pcs. 3 ribs = 9 pcs. 2 ribs = 13 pcs. or a multiple	-	2032 mm L_a = 5 ribs = 22 pcs. 4 ribs = 28 pcs. 3 ribs = 38 pcs. 2 ribs = 58 pcs. or a multiple	4000 mm L_a = 5 ribs = 6 pcs. 4 ribs = 7 pcs. 3 ribs = 10 pcs. 2 ribs = 15 pcs. or a multiple	-
Minimum order quantity for non-listed sizes from	-	-	-	-	-
Intermediate lengths from	2000 mm L_d	3000 mm L_d	1270 mm L_a	1422 mm L_a	2540 mm L_a

• Non stock items
Further sizes are available on request.
datum length L_d = pitch length L_w

optibelt KB RED POWER 3 with SPB and SPC profiles can be used with standard V-grooved pulleys as per DIN 2211 and ISO 4183.

Ordering example: 3-SPB 2000 RP
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS


Description L_d	Description inches	Description metric
SPB	**3V**	
SPB KB 2000 RP	3V KB 500 RP •	9J 1270 RP
SPB KB 2120 RP	3V KB 530 RP •	9J 1346 RP
SPB KB 2240 RP	3V KB 560 RP •	9J 1422 RP
SPB KB 2360 RP	3V KB 600 RP •	9J 1524 RP
SPB KB 2500 RP	3V KB 630 RP •	9J 1600 RP
SPB KB 2650 RP	3V KB 670 RP •	9J 1702 RP
SPB KB 2800 RP	3V KB 710 RP •	9J 1803 RP
SPB KB 3000 RP	3V KB 750 RP •	9J 1905 RP
SPB KB 3150 RP	3V KB 800 RP •	9J 2032 RP
SPB KB 3250 RP	3V KB 850 RP •	9J 2159 RP
SPB KB 3350 RP	3V KB 900 RP •	9J 2286 RP
SPB KB 3550 RP	3V KB 950 RP •	9J 2413 RP
SPB KB 3750 RP	3V KB 1000 RP •	9J 2540 RP
SPB KB 4000 RP	3V KB 1060 RP •	9J 2692 RP
SPB KB 4250 RP	3V KB 1120 RP •	9J 2845 RP
SPB KB 4500 RP	3V KB 1180 RP •	9J 2997 RP
SPB KB 4750 RP	3V KB 1250 RP •	9J 3175 RP
SPB KB 5000 RP	3V KB 1320 RP •	9J 3353 RP
SPB KB 5300 RP	3V KB 1400 RP •	9J 3556 RP
SPB KB 5600 RP	**5V**	
SPB KB 6000 RP	5V KB 560 RP •	15J 1422 RP
SPB KB 6300 RP	5V KB 600 RP •	15J 1524 RP
SPB KB 6700 RP	5V KB 630 RP •	15J 1600 RP
SPB KB 7100 RP	5V KB 670 RP •	15J 1702 RP
SPB KB 7500 RP	5V KB 710 RP •	15J 1803 RP
SPB KB 8000 RP	5V KB 750 RP •	15J 1905 RP
SPC	5V KB 800 RP •	15J 2032 RP
SPC KB 3000 RP	5V KB 850 RP •	15J 2159 RP
SPC KB 3150 RP	5V KB 900 RP •	15J 2286 RP
SPC KB 3350 RP	5V KB 950 RP •	15J 2413 RP
SPC KB 3550 RP	5V KB 1000 RP	15J 2540 RP
SPC KB 3750 RP	5V KB 1060 RP	15J 2692 RP
SPC KB 4000 RP	5V KB 1120 RP	15J 2845 RP
SPC KB 4250 RP	5V KB 1180 RP	15J 2997 RP
SPC KB 4500 RP	5V KB 1250 RP	15J 3175 RP
SPC KB 4750 RP	5V KB 1320 RP	15J 3353 RP
SPC KB 5000 RP	5V KB 1400 RP	15J 3556 RP
SPC KB 5300 RP	5V KB 1500 RP •	15J 3810 RP
SPC KB 5600 RP	5V KB 1600 RP	15J 4064 RP
SPC KB 6000 RP	5V KB 1700 RP	15J 4318 RP
SPC KB 6300 RP	5V KB 1800 RP	15J 4572 RP
SPC KB 6700 RP	5V KB 1900 RP	15J 4826 RP
SPC KB 7100 RP	5V KB 2000 RP	15J 5080 RP
SPC KB 7500 RP	5V KB 2120 RP	15J 5385 RP
SPC KB 8000 RP	5V KB 2240 RP	15J 5690 RP
SPC KB 8500 RP	5V KB 2360 RP	15J 5994 RP
SPC KB 9000 RP	5V KB 2500 RP	15J 6350 RP
SPC KB 9500 RP	5V KB 2650 RP •	15J 6731 RP
SPC KB 10000 RP	5V KB 2800 RP •	15J 7112 RP
	5V KB 3000 RP	15J 7620 RP
	5V KB 3150 RP •	15J 8001 RP

Description inches	Description metric		
8V			
8V KB 1000 RP •	25J 2540 RP		
8V KB 1060 RP •	25J 2692 RP		
8V KB 1120 RP •	25J 2845 RP		
8V KB 1180 RP •	25J 2997 RP		
8V KB 1250 RP •	25J 3175 RP		
8V KB 1320 RP •	25J 3353 RP		
8V KB 1400 RP •	25J 3556 RP		
8V KB 1500 RP •	25J 3810 RP		
8V KB 1600 RP •	25J 4064 RP		
8V KB 1700 RP •	25J 4318 RP		
8V KB 1800 RP •	25J 4572 RP		
8V KB 1900 RP •	25J 4826 RP		
8V KB 2000 RP •	25J 5080 RP		
8V KB 2120 RP •	25J 5385 RP		
8V KB 2240 RP •	25J 5690 RP		
8V KB 2360 RP •	25J 5994 RP		
8V KB 2500 RP •	25J 6350 RP		
8V KB 2650 RP •	25J 6731 RP		
8V KB 2800 RP •	25J 7112 RP		
8V KB 3000 RP •	25J 7620 RP		
8V KB 3150 RP •	25J 8001 RP		
8V KB 3350 RP •	25J 8509 RP		
8V KB 3550 RP •	25J 9017 RP		
8V KB 3750 RP •	25J 9525 RP		
8V KB 4000 RP •	25J 10160 RP		
8V KB 4250 RP •	25J 10795 RP		
8V KB 4500 RP •	25J 11430 RP		
8V KB 4750 RP •	25J 12065 RP		

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS





Profiles:
SPB, SPC

Profiles:
5V, 8V

optibelt KB BLUE POWER

HIGH-PERFORMANCE KRAFTBANDS
with aramid tension cord

	SPB	SPC	5V	8V
Nominal length	Datum length L_d	Datum length L_d	Outside length L_a / 10	Outside length L_a / 10
Nominal lengths unit	mm	mm	in	in
Height of belt h [mm]	15.60	22.60	15.10	25.50
Width per rib [mm]	16.50	22.00	15.00	25.00
Weight per rib [kg/m]	0.283	0.567	0.253	0.738
Max. fabrication length [mm]	10000	10000	18000	18000
Minimum pulley diameter [mm]	200.00	315.00	211.00	400.00
Minimum order quantity for all sizes	2000 mm L_d = 5 ribs = 4 pcs. 4 ribs = 5 pcs. 3 ribs = 7 pcs. 2 ribs = 11 pcs. or a multiple	3000 mm L_d = 5 ribs = 3 pcs. 4 ribs = 4 pcs. 3 ribs = 5 pcs. 2 ribs = 8 pcs. or a multiple	2032 mm L_a = 5 ribs = 6 pcs. 4 ribs = 7 pcs. 3 ribs = 10 pcs. 2 ribs = 15 pcs. or a multiple	2540 mm L_a = 5 ribs = 3 pcs. 4 ribs = 3 pcs. 3 ribs = 5 pcs. 2 ribs = 7 pcs. or a multiple
Intermediate lengths from	2000 mm L_d	3000 mm L_d	2032 mm L_a	2540 mm L_a

• Non stock items
Further sizes are available on request.
datum length L_d = pitch length L_w

optibelt KB BLUE POWER with SPB and SPC profiles can be used with standard V-grooved pulleys as per DIN 2211 and ISO 4183.

Ordering example: 3-SPB 2000 BP
Please make sure to mention the product name in your order.


 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS


Description L_d
SPB
SPB KB 2000 BP •
SPB KB 2120 BP •
SPB KB 2240 BP •
SPB KB 2360 BP •
SPB KB 2500 BP •
SPB KB 2650 BP •
SPB KB 2800 BP •
SPB KB 3000 BP •
SPB KB 3150 BP •
SPB KB 3350 BP •
SPB KB 3550 BP •
SPB KB 3750 BP •
SPB KB 4000 BP •
SPB KB 4250 BP •
SPB KB 4500 BP •
SPB KB 4750 BP •
SPB KB 5000 BP •
SPB KB 5300 BP •
SPB KB 5600 BP •
SPB KB 6000 BP •
SPB KB 6300 BP •
SPB KB 6700 BP •
SPB KB 7100 BP •
SPB KB 7500 BP •
SPB KB 8000 BP •
SPC
SPC KB 3000 BP •
SPC KB 3150 BP •
SPC KB 3350 BP •
SPC KB 3550 BP •
SPC KB 3750 BP •
SPC KB 4000 BP •
SPC KB 4250 BP •
SPC KB 4500 BP •
SPC KB 4750 BP •
SPC KB 5000 BP •
SPC KB 5300 BP •
SPC KB 5600 BP •
SPC KB 6000 BP •
SPC KB 6300 BP •
SPC KB 6700 BP •
SPC KB 7100 BP •
SPC KB 7500 BP •
SPC KB 8000 BP •
SPC KB 8500 BP •
SPC KB 9000 BP •
SPC KB 9500 BP •
SPC KB 10000 BP •

Description inches	Description metric
5V	
5V KB 800 BP •	15J 2032 BP
5V KB 850 BP •	15J 2159 BP
5V KB 900 BP •	15J 2286 BP
5V KB 950 BP •	15J 2413 BP
5V KB 1000 BP •	15J 2540 BP
5V KB 1060 BP •	15J 2692 BP
5V KB 1120 BP •	15J 2845 BP
5V KB 1180 BP •	15J 2997 BP
5V KB 1250 BP •	15J 3175 BP
5V KB 1320 BP •	15J 3353 BP
5V KB 1400 BP •	15J 3556 BP
5V KB 1500 BP •	15J 3810 BP
5V KB 1600 BP •	15J 4064 BP
5V KB 1700 BP •	15J 4318 BP
5V KB 1800 BP •	15J 4572 BP
5V KB 1900 BP •	15J 4826 BP
5V KB 2000 BP •	15J 5080 BP
5V KB 2120 BP •	15J 5385 BP
5V KB 2240 BP •	15J 5690 BP
5V KB 2360 BP •	15J 5994 BP
5V KB 2500 BP •	15J 6350 BP
5V KB 2650 BP •	15J 6731 BP
5V KB 2800 BP •	15J 7112 BP
5V KB 3000 BP •	15J 7620 BP
5V KB 3150 BP •	15J 8001 BP
8V	
8V KB 1000 BP •	25J 2540 BP
8V KB 1060 BP •	25J 2692 BP
8V KB 1120 BP •	25J 2845 BP
8V KB 1180 BP •	25J 2997 BP
8V KB 1250 BP •	25J 3175 BP
8V KB 1320 BP •	25J 3353 BP
8V KB 1400 BP •	25J 3556 BP
8V KB 1500 BP •	25J 3810 BP
8V KB 1600 BP •	25J 4064 BP
8V KB 1700 BP •	25J 4318 BP
8V KB 1800 BP •	25J 4572 BP
8V KB 1900 BP •	25J 4826 BP
8V KB 2000 BP •	25J 5080 BP
8V KB 2120 BP •	25J 5385 BP
8V KB 2240 BP •	25J 5690 BP
8V KB 2360 BP •	25J 5994 BP
8V KB 2500 BP •	25J 6350 BP
8V KB 2650 BP •	25J 6731 BP
8V KB 2800 BP •	25J 7112 BP
8V KB 3000 BP •	25J 7620 BP
8V KB 3150 BP •	25J 8001 BP
8V KB 3350 BP •	25J 8509 BP
8V KB 3550 BP •	25J 9017 BP
8V KB 3750 BP •	25J 9525 BP
8V KB 4000 BP •	25J 10160 BP
8V KB 4250 BP •	25J 10795 BP
8V KB 4500 BP •	25J 11430 BP
8V KB 4750 BP •	25J 12065 BP





Profiles:
PH, PJ, PK, PL, PM



Profiles:
EPH, EPJ

optibelt RB

RIBBED BELTS

	(E)PH	(E)PJ	PK	PL	PM
Nominal length	Reference length L_b	Reference length L_b	Reference length L_b	Reference length L_b	Reference length L_b
Nominal lengths unit	mm	mm	mm	mm	mm
Height of belt h [mm]	2.50	3.50	4.60	7.00	13.00
Weight per rib [kg/m]	0.005	0.009	0.023	0.041	0.114
Rib spacing s [mm]	1.60	2.34	3.56	4.70	9.40
Minimum pulley diameter [mm]	13	20	45	75	180

- Non stock items

Further dimensions and minimum order quantities on request.

optibelt RB are also available as elastic ribbed belts with EPH and EPJ profiles.

optibelt RB are also available as double ribbed belts, also with aramid cord as PK / PL profile.
Intermediate lengths

Note: Custom ribbed belts may differ from the standard construction. Please contact our technical engineers.

Elastic ribbed belts

Length range depends on the profile, from 250 mm to 2500 mm.
- Ribbed belts - electrically conductive on request
- Ribbed belts - high voltage-resistant on request
- PAK optimized - on request

Ordering example: 4 PH 698
Please make sure to mention the product name in your order.

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PH		
PH 698 •	27.50	75
PH 735 •	28.90	75
PH 762 •	30.00	75
PH 813 •	32.00	75
PH 886 •	34.90	75
PH 955 •	37.60	75
PH 965 •	38.00	75
PH 975 •	38.40	75
PH 990 •	39.00	75
PH 1016 •	40.00	75
PH 1080 •	42.50	75
PH 1092 •	43.00	75
PH 1096 •	43.10	75
PH 1194 •	47.00	75
PH 1200 •	47.20	75
PH 1222 •	48.10	75
PH 1230 •	48.40	75
PH 1262 •	49.70	75
PH 1270 •	50.00	75
PH 1285 •	50.60	75
PH 1290 •	50.80	75
PH 1301 •	51.20	75
PH 1309 •	51.50	75
PH 1316 •	51.80	75
PH 1321 •	52.00	75
PH 1333 •	52.50	75
PH 1439 •	56.70	75
PH 1475 •	58.10	75
PH 1600 •	63.00	75
PH 1854 •	73.00	75
PH 1895 •	74.60	75
PH 1915 •	75.40	75
PH 1930 •	76.00	360
PH 1956 •	77.00	75
PH 1992 •	78.40	75
PH 2083 •	82.00	75
PH 2155 •	84.80	75

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PJ		
PJ 280	11.00	210
PJ 330	13.00	210
PJ 356	14.00	210
PJ 362	14.30	210
PJ 381	15.00	210
PJ 406	16.00	210
PJ 414	16.30	210
PJ 432	17.00	210
PJ 457	18.00	210
PJ 483	19.00	210

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PJ 508	20.00	210
PJ 559	22.00	210
PJ 584	23.00	210
PJ 610	24.00	210
PJ 660	26.00	210
PJ 711	28.00	210
PJ 723	28.50	210
PJ 737	29.00	120
PJ 762	30.00	120
PJ 813	32.00	120
PJ 836	32.90	120
PJ 864	34.00	245
PJ 914	36.00	120
PJ 955	37.60	120
PJ 965	38.00	245
PJ 1016	40.00	245
PJ 1092	43.00	205
PJ 1105	43.50	120
PJ 1110	43.70	205
PJ 1123	44.20	245
PJ 1130	44.50	120
PJ 1150	45.30	205
PJ 1168	46.00	245
PJ 1194	47.00	245
PJ 1200	47.30	245
PJ 1222	48.10	245
PJ 1244	49.00	245
PJ 1262	49.70	205
PJ 1270	50.00	205
PJ 1285	50.60	120
PJ 1301	51.20	205
PJ 1309	51.50	205
PJ 1316	51.80	120
PJ 1321	52.00	205
PJ 1333	52.50	120
PJ 1355	53.40	205
PJ 1371	54.00	120
PJ 1397	55.00	205
PJ 1428	56.20	120
PJ 1439	56.70	120
PJ 1475	58.10	205
PJ 1549	61.00	205
PJ 1600	63.00	205
PJ 1651	65.00	120
PJ 1663	65.50	120
PJ 1752	69.00	120
PJ 1780	70.00	120
PJ 1854	73.00	120
PJ 1895	74.60	120
PJ 1910	75.20	120
PJ 1915	75.40	120
PJ 1930	76.00	120

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PJ 1956	77.00	205
PJ 1965	77.40	190
PJ 1981	78.00	120
PJ 1992	78.40	120
PJ 2083	82.00	120
PJ 2155	84.80	120
PJ 2210	87.00	190
PJ 2337	92.00	120
PJ 2489	98.00	120

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PK		
PK 630 •	24.80	48
PK 648	25.50	130
PK 698	27.50	48
PK 730	28.70	48
PK 775	30.50	48
PK 800	31.50	138
PK 812	32.00	48
PK 830	32.70	48
PK 865	34.00	48
PK 875	34.50	138
PK 890	35.00	165
PK 913	36.00	48
PK 920	36.20	48
PK 940	37.00	48
PK 954	37.60	48
PK 962	37.80	48
PK 990	39.00	48
PK 1015	40.00	48
PK 1080	42.50	48
PK 1090	43.00	48
PK 1125	44.30	48
PK 1150	45.30	138
PK 1165	45.90	48
PK 1190	46.80	48
PK 1200 •	47.20	48
PK 1222 •	48.10	138
PK 1230 •	48.40	48
PK 1245	49.00	48
PK 1270	50.00	48
PK 1285 •	50.60	48
PK 1290 •	50.80	48
PK 1321 •	52.00	48
PK 1330	52.40	48
PK 1345	53.00	48
PK 1371 •	54.00	48
PK 1397 •	55.00	48
PK 1439	56.70	138
PK 1460	57.50	165
PK 1520	59.80	138

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PK 1560	61.40	165
PK 1570	61.80	48
PK 1600	63.00	48
PK 1655	65.20	165
PK 1690	66.50	165
PK 1755	69.10	138
PK 1854 •	73.00	48
PK 1885	74.20	165
PK 1930 •	76.00	138
PK 1956 •	77.00	48
PK 1980	78.00	138
PK 2030	79.90	48
PK 2050	80.70	138
PK 2080	81.90	165
PK 2120	83.50	138
PK 2145	84.40	48
PK 2170	85.40	48
PK 2235 •	88.00	48
PK 2255	88.80	48
PK 2362 •	93.00	48
PK 2460	96.90	48
PK 2515 •	99.00	48
PK 2845 •	112.00	48

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PL		
PL 954	37.50	100
PL 991	39.00	100
PL 1075	42.30	122
PL 1194	47.00	53
PL 1270	50.00	122
PL 1333	52.50	53
PL 1371	54.00	53
PL 1397	55.00	122
PL 1422	56.00	53
PL 1562	61.50	53
PL 1613	63.50	53
PL 1664	65.50	53
PL 1715	67.50	53
PL 1764	69.50	53
PL 1803	71.00	53
PL 1841	72.50	53
PL 1943	76.50	53
PL 1981	78.00	53
PL 2020	79.50	53
PL 2070	81.50	53
PL 2096	82.50	53
PL 2134	84.00	53
PL 2197	86.50	53
PL 2235	88.00	53
PL 2324	91.50	53

 © OPTIBELT GMBH, GERMANY

BACK TO THE TABLE OF CONTENTS

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PL 2362	93.00	53
PL 2476	97.50	53
PL 2515	99.00	53
PL 2705	106.50	53
PL 2743	108.00	53
PL 2845	112.00	53
PL 2895	114.00	53
PL 2921	115.00	53
PL 2997	118.00	53
PL 3086	121.50	53
PL 3124	123.00	53
PL 3289	129.50	53
PL 3327	131.00	53
PL 3492	137.50	53
PL 3696	145.50	100
PL 4051	159.50	100
PL 4191	165.00	100
PL 4470	176.00	100
PL 4622	182.00	100
PL 5029	198.00	100
PL 5385	212.00	100
PL 6096	240.00	100

Description profile and L_b (mm)	L_b (in)	Number of ribs per sleeve
PM		
PM 2286	90.00	48
PM 2388	94.00	48
PM 2515	99.00	48
PM 2693	106.00	53
PM 2832	111.50	53
PM 2921	115.00	48
PM 3010	118.50	48
PM 3124	123.00	48
PM 3327	131.00	48
PM 3531	139.00	48
PM 3734	147.00	48
PM 4089	161.00	48
PM 4191	165.00	48
PM 4470	176.00	48
PM 4648	183.00	48
PM 5029	198.00	48
PM 5410	213.00	48
PM 6121	241.00	48
PM 6883 •	271.00	48
PM 7646 •	301.00	48
PM 8408 •	331.00	48
PM 9169 •	361.00	48
PM 9931 •	391.00	48
PM 10693 •	421.00	48
PM 12217 •	481.00	48
PM 13741 •	541.00	48
PM 15266 •	601.00	48

تأمین‌کننده تخصصی بلبرینگ و رولبرینگ

BEARINGS · SEALS · BELTS · POWER TRANSMISSION

بلبرینگ | رولبرینگ | کاسه نمد | تسمه | اورینگ | یاتاقان | پکینگ | گریس

وب‌سایت: moharekcharkhesh.com

تلفن: 021 3399 8100 · 021 3399 8121

همراه: 0912 464 6470

ایمیل: MoharekCharkhesh@proton.me

آدرس: تهران، خیابان امیرکبیر، کوچه ناظم‌الاطبا شمالی، پاساژ تهران، طبقه سوم، پلاک ۱۴۲

ساعت کاری: شنبه تا پنج‌شنبه، ۹:۰۰ تا ۱۸:۰۰

SCAN TO VISIT

تماس با کارشناس فروش

مشاهده محصولات در سایت

برای استعلام قیمت، اعلام موجودی و ثبت سفارش تکی و عمده تسمه Optibelt با کارشناسان محرک چرخش تماس بگیرید.

© Moharek Charkhesh — OPTIBELT catalogue, distributed for reference

تمامی حقوق کاتالوگ متعلق به سازنده OPTIBELT است